BS 8625:2019



BSI Standards Publication

Selection, placement and fixation of flexible postural support devices in seating – Specification



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2019

Published by BSI Standards Limited 2019

ISBN 978 0 539 00734 3

ICS 13.180; 11.180.10

The following BSI references relate to the work on this document: Committee reference CH/173/1 Draft for comment 19/30376647 DC

Amendments/corrigenda issued since publication

Date Text affected

_

Contents		Page
	Foreword	iii
	Introduction	1
1	Scope	1
2	Normative references	2
3	Terms, definitions and abbreviations	2
4	Aims and principles of application of flexible PSDs	5
4.1	General	5
4.2	Restraint versus positioning	6
4.3	Safety	6
4.4	Paediatric needs	7
4.5	Materials	7
4.6	Transportation	9
5	Pelvic positioning	10
5.1	Anterior pelvic support	11
	Figure 1 — Positioning of pelvic postural support anterior to the greater trochanter	11
	Figure 2 — Centre pull 2-point pelvic positioning support	12
	Figure 3 — Dual pull 2-point pelvic positioning support	12
	Figure 4 — Rear pull 2-point pelvic positioning support	12
	Figure 5 — Centre pull 4-point pelvic positioning support	13
5.2	Inferior pelvic support	14
5.3	Lateral pelvic support	14
5.4	Posterior pelvic support	14
	Figure 6 — Posterior pelvic support	15
6	Trunk supports	15
6.1	Anterior trunk support	15
	Figure 7 — Rear-pull versus front-pull anterior trunk supports	16
	Figure 8 — Anterior chest support	17
	Figure 9 — Circumferential chest support	18
	Figure 10 — Anterior shoulder support	18
6.2	Lateral trunk support	19
6.3	Posterior trunk support	19
7	Flexible leg supports	20
7.1	Medial upper leg support	20
	Figure 11 — Medial upper leg support	20
7.2	Posterior lower leg support	20
	Figure 12 — Posterior lower leg support	20
8	Flexible foot supports	21
8.1	General	21
8.2	Circumferential ankle support	21
	Figure 13 — Circumferential ankle support	21
8.3	Superior foot support	21
	Figure 14 — Superior foot support	22
8.4	Attachment of flexible foot supports to equipment	22
9	Flexible head supports	22
9.1	Anterior head support	22
9.2	Attachment of anterior head supports to equipment	23
10	Flexible wrist support and circumferential wrist supports	23
11	Disclosure information	24

11.1	Product documentation/labelling	24
	Figure 15 — Anterior trunk support label	24
11.0	Figure 16 — Transportation label	24
11.2	Fitting instructions	25
11.3	Instructions for use	25
Annex A	(normative) How to measure a person	26
	Figure A.1 — Examples of linear measures of the body in the sagittal view	26
	Figure A.2 — Examples of linear measures of the body in the frontal view	27
	Figure A.3 — Examples of linear measures of the body in the transverse view	27
	Figure A.4 — Measurement for a pelvic positioning support	28
	Figure A.5 — Measurement for an anterior trunk support	28
	Figure A.6 — Measurement points for a circumferential chest support	29
	Figure A.7 — Measurement for a circumferential ankle support	29
	Figure A.8 — Measurement for a posterior lower leg support	29
Annex B	(normative) How to measure a device	30
	Figure B.1 — Linear measures of support surfaces in the sagittal view	30
	Figure B.2 — Linear measures of generic support surfaces in the frontal view	31
	Figure B.3 — Pelvic positioning support dimensions	31
	Table B.1 — Anterior trunk support size selection	32
	Table B.2 — Circumferential chest support size selection	32
	Table B.3 — Circumferential ankle support size selection	33
Annex C	(informative) Difficulty relationship between the operability of PSD and cognitive and/	
	or physical dexterity level of occupant	33
	Table C.1 — Intended operability level of PSD (mechanical)	33
	Table C.2 — Intended operability level examples	33
	Table C.3 — Cognitive or physical dexterity level examples	33
	Table C.4 — Operability level examples	34
Annex D	(informative) Mounting devices	34
	Figure D.1 — Common examples of seating and wheelchair tubing	34
	Figure D.2 — Plastic clamp	35
	Figure D.3 — Frame clamp	35
	Figure D.4 — Band clamp	35
	Figure D.5 — Seat tube mounting bracket	36
	Figure D.6 — Support mounting extension arms	36
	Figure D.7 — T-slot fastener kit	36
	Figure D.8 — Triangular end-fitting and three-bar slide	37
	Figure D.9 — Webbing routing using a triangular fitting and three-bar slide	37
	Figure D.10 — Cam buckle and webbing routing	38
	Figure D.11 — Locking clamp end-fitting and webbing routing	38
Annex E	(informative) Prevention of risk of asphyxiation	39
	Bibliography	40

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 40, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 October 2019. It was prepared by Subcommittee CH/173/1, *Wheelchairs* under the authority of Technical Committee CH/173, *Assistive products for persons with disability*. A list of organizations represented on this committee can be obtained on request to its secretary.

Information about this document

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at <u>bsigroup.com/standards</u>, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its requirements are expressed in sentences in which the principal auxiliary verb is "shall".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. "organization" rather than "organisation").

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Introduction

Postural support devices, such as positioning supports, have a specific purpose, which is to support an individual, to help maintain and increase day-to-day functionality for the individual, and to protect against the development of skeletal deformities, or to correct them. These devices, with their postural support purposes, are not to be confused with belts and similar devices designed to act as vehicular occupant restraints.

The records of MHRA (Medicines and Healthcare Products Regulatory Agency) show that over the last 15 years there have been four reported deaths and 17 serious injuries in the UK involving, or attributed to, pelvic postural support devices or anterior trunk postural support devices. These deaths are thought to have occurred as a result of inappropriate placement, adjustment or failure of the supports. There appears to be confusion as to best practice, and the reasons why postural supports need to be placed and adjusted according to the occupant's needs.

The MHRA originally provided guidance in the UK on the placement of pelvic positioning supports, but the advice was in effect more appropriate for wheelchair tie down and occupant restraint systems, rather than positioning supports. This advice was updated in 2015 in MDA/2015/018 [1]. This new guidance places the onus on the manufacturer or equipment prescriber to decide what might be best for an individual; although with minimal guidance on how this is to be ensured. This introduced the risk of a variety of interpretations, which might not be consistent, and which could cause further confusion.

For this reason, this British Standard has been produced to specify the selection and placement of positioning supports when used in seating systems and chairs, including wheelchairs and bathroom equipment (such as shower chairs) and, where applicable, hoists. This standard has been created for use by clinicians, engineers, carers, manufacturers, retailers and repairers.

NOTE 1 In this document, nomenclature has been based on BS ISO 7176-26 and ISO 16840-1. Thus, a support described as a positioning support might have the name adapted to include a description of its function based on the part of the body to which it is applied: e.g. a pelvic positioning support helps to position the pelvis, but might not be applied directly to the pelvis. However, an anterior pelvic support would be applied anterior to the pelvis.

NOTE 2 Positioning support placement can differ based on clinical and risk assessment.

1 Scope

This British Standard specifies requirements for the selection, placement and fixation of flexible postural support devices within seating devices and systems, and to chairs, including wheelchairs and bathroom equipment. Seating devices can be involved in one or more situations, including static seating, wheelchair seating, shower chairs, etc. The devices enable the seated person (the occupant) to be positioned to maximize their functional activities and to do so in a safe environment. These requirements have a balance of maintenance of posture and of safety.

This British Standard covers flexible positioning supports (padded or otherwise) used for postural positioning and/or safety. It does not cover belts and harnesses used in transportation for restraint, nor postural support devices made from rigid materials such as metal, wood or hard plastics, nor postural support devices designed solely for use in sports-related seating.