

BSI Standards Publication

Electrostatics

Part 5-4: Protection of electronic devices from electrostatic phenomena — Compliance verification



National foreword

This Published Document is the UK implementation of IEC TR 61340-5-4:2019.

The UK participation in its preparation was entrusted to Technical Committee GEL/101, Electrostatics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 99214 8

ICS 17.220.99; 29.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 August 2019.

Amendments/corrigenda issued since publication

Date Text affected



IEC TR 61340-5-4

Edition 1.0 2019-08

TECHNICAL REPORT



Electrostatics -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 17.220.99; 29.020 ISBN 978-2-8322-7272-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWO	RD	8
IN	TRODU	CTION	10
1	Scop	e	11
2	Norm	ative references	11
3		s and definitions	
4		onnel safety	
5		equipment	
5			
	5.1	Selection of test equipment	
	5.2	AC oiled analyzer (or mains socket tester)	
	5.3	AC circuit tester (impedance meter)	
	5.4	Charged plate monitor (CPM)	
	5.4.1 5.4.2	CPM requirements Portable verification kit	
	5.4.2	Concentric ring electrode assembly	
	5.6	DC ohmmeter	
	5.7	Electrostatic field meter	
	5.8	Electrostatic voltmeter	
	5.9	Foot electrode	
	5.10	Hand-held electrode	
	5.11	Resistance measurement electrode(s)	
	5.12	Insulative support surface	
	5.13	Integrated checker	
	5.14	Two-point probe	
	5.15	Surface resistance bar electrode	
6		nding/bonding systems	
	6.1	Responsibility for checking systems	
	6.2	Objective	
	6.3	Test equipment	
	6.4	Test procedure for wrist strap bonding points	
	6.5	Troubleshooting wrist strap bonding point failures	
7	Work	surfaces	
	7.1	Basis of test procedure	
	7.2	Objective	
	7.3	Test equipment	
	7.4	Test procedure	
	7.5	Troubleshooting	
	7.5.1	Visual/mechanical check	
	7.5.2	Electrical test	18
8	Wrist	strap system	19
	8.1	Basis of test procedure	19
	8.2	Objective	
	8.3	Test equipment	
	8.4	Test procedure	
	8.4.1	Testing with integrated checker	20
	8.4.2	Testing with DC ohmmeter	
	8.5	Troubleshooting	21

IEC TR 61340-5-4:2019 © IEC 2019 - 3 -

9	Pers	on-fo	otwear system	22
	9.1	Bas	is of test procedure	22
	9.2	Obje	ective	22
	9.3	Tes	t equipment	22
	9.4	Tes	t procedure	22
	9.4.1		Testing with integrated checker	22
	9.4.2	2	Testing with DC ohmmeter	
	9.5	Trou	ubleshooting	
10	Floo			
	10.1	Bas	is of test procedure	24
	10.2		ective	
	10.3	•	t equipment	
	10.4		t procedure	
	10.5		ubleshooting	
11			otwear-flooring system	
• •	11.1		surement of electrical resistance	
	11.1		Basis of test procedure	
	11.1		Objective	
	11.1		Test equipment	
	11.1		Test procedure	
	11.1		Troubleshooting	
	11.1			
	11.2		Specie of test presedure	
			Basis of test procedure	
	11.2		Objective	
	11.2		Test equipment	
	11.2		Test procedure	
40	11.2		Troubleshooting	
12		_		
	12.1		is of test procedure	
	12.2	•	ective	
	12.3		t equipment	29
	12.4		t procedure	
	12.5		ubleshooting	
13	Air ic	onize	rs	31
	13.1	Bas	is of test procedure	31
	13.2	Obje	ective	31
	13.3	Tes	t equipment	31
	13.4	Tes	t procedure	31
	13.4	.1	Initial test setup	31
	13.4	.2	Discharge time test	31
	13.4	.3	Offset voltage test (balance)	32
	13.5	Trou	ubleshooting	32
14	Mobi	ile eq	uipment	32
	14.1	Bas	is of test procedure	32
	14.2		ective	
	14.3	-	t equipment	
	14.4		t procedure	
	14.5		ubleshooting	34

15	Grou	Indable static control garment system	35
1	5.1	Basis of test procedure	35
1	5.2	Objective	35
1	5.3	Test equipment	35
1	5.4	Test procedure	36
	15.4	.1 Testing with integrated checker	36
	15.4	2 Testing with DC ohmmeter	36
1	5.5	Troubleshooting	37
16		c control garments and groundable static control garments point-to-point	37
1	6.1	Basis of test procedure	
	6.2	Objective	
	6.3	Test equipment	
	6.4	Test procedure	
	6.5	Troubleshooting	
17	Stati	c control garments and groundable static control garments hanging clamp	
1	7.1	Basis of test procedure	
	7.1 7.2	Objective	
	7.2	Test equipment	
	7.3 7.4	Test equipment: Test procedure	
	7. 4 7.5	Troubleshooting	
		aging	
	8.1	Basis of test procedure	
	6. i 8.2	Objective	
	8.3	Test equipment	
	8.4	Test equipment Test procedure	
'	0. 4 18.4.	•	
	18.4.		40
	10.4.	SRBs	43
	18.4	.3 Surface resistance using a DC ohmmeter and two-point probe	44
	18.4	4 Point-to-point using resistance measurement electrode(s)	45
	18.4	5 Volume resistance using an integrated checker or DC ohmmeter	46
1	8.5	Troubleshooting (surface and volume resistance)	47
19	Proc	ess required insulators	47
1	9.1	Basis of test procedure	47
1	9.2	Objective	47
1	9.3	Test equipment	47
1	9.4	Test procedure for measuring electrostatic field strength at the site of the ESD sensitive device (ESDS) from electrostatic field source	48
1	9.5	Measurement of surface voltage of a process required insulator	
1	9.6	Troubleshooting	
20	Proc	ess required isolated conductors	
	0.1	Basis of test procedure	
	0.2	Objective	
	0.3	Test equipment	
	0.4	Test procedures	
	0.5	Troubleshooting	
		(informative) Test frequency	

Annex B (informative) Other test methods for static control garments	52
B.1	General considerations for other test methods	52
B.2	Precautions to be observed when conducting tests	
B.3	Tribocharging tests for garments	
B.3.1		
B.3.2	Test equipment for body voltage measurements	52
B.3.3		
B.3.4	· · · · · · · · · · · · · · · · · · ·	
B.3.5		
B.3.6		
B.3.7	Test procedure for measuring electrostatic field or surface voltage on garments	58
B.3.8	Troubleshooting tribocharging tests	58
B.4	Charge decay time tests for garments	59
B.4.1	Objective	59
B.4.2	Test equipment for measuring charge decay time after tribocharging	59
B.4.3	Test procedure for measuring charge decay time after tribocharging	59
B.4.4	Test equipment for measuring charge decay time after corona charging	60
B.4.5	Test procedure for measuring charge decay time after corona charging	60
B.4.6	Test equipment for measuring charge decay time after connection to a DC high-voltage supply	61
B.4.7	Test procedure for measuring charge decay time after connection to a DC high-voltage supply	61
B.5	Field suppression tests for garments	62
B.6	Capacitance loading tests for garments	62
Annex C ((normative) Electrical soldering/desoldering hand tools	63
C.1	Basis of test procedure	63
C.2	Objective	63
C.3	Test equipment	63
C.4	Test procedure	63
C.4.1	Soldering/desoldering hand tool tip voltage test procedure (hot iron) using integrated tester or AC millivoltmeter	63
C.4.2	Soldering/desoldering hand tools resistance to ground (hot iron)	64
C.4.3	Soldering/desoldering hand tools resistance to ground (cold iron)	64
C.4.4	Soldering/desoldering hand tools resistance to ground (hot iron) using low resistance meter	65
C.5	Troubleshooting	65
Annex D (normative) Hand tools	66
D.1	Basis of test procedure	66
D.2	Objective	66
D.3	Test equipment	66
D.3.1	Resistance measurements	66
D.3.2	Charge decay time measurements	66
D.3.3	Test procedure for hand tool resistance measurements	66
D.3.4	Test procedure for hand tool resistance to ground measurements	67
D.3.5	Test procedure for charge decay time measurements	68
D.3.6	Troubleshooting	69
Annex E (normative) Constant (continuous) monitors	70
Г1	Rasis of test procedure	70

E.2	Objective	70
E.3	Test equipment	70
E.4	Test procedure	70
E.5	Troubleshooting	70
Annex F (normative) Gloves and finger cots – In use resistance	71
F.1	Basis of test procedure	71
F.2	Objective	71
F.3	Test equipment	71
F.4	Test procedure	71
F.4.1	Integrated wrist strap checker with touch plate and wrist strap	71
F.4.2	Hand-held electrode and DC ohmmeter via wrist strap	72
F.4.3	Integrated footwear checker with foot plate and touch plate, and ESD control footwear	73
F.4.4	Constant area and force electrode (CAFE) with DC ohmmeter and wrist strap	73
F.5	Troubleshooting	75
Annex G (informative) Grounding/bonding systems	76
G.1	Objective	76
G.2	Test equipment	76
G.3	Test procedure	76
G.4	Troubleshooting	76
Bibliograp	hy	77
Figure 1 –	- ESD control workstation	16
Figure 2 –	- ESD control work surface test	17
Figure 3 –	Point-to-point measurement setup	19
-	· Wrist strap test using integrated checker	
•	- Wrist strap test using DC ohmmeter	
•	- ESD control footwear test	
•	- ESD control flooring test	
•	Person-footwear-flooring system test	
•	• •	
_	- ESD control chair test	
Ū	ESD control mobile equipment test	
Figure 11	 Testing groundable static control garment system using integrated checker 	36
	Test setup – Groundable garment in combination with a person, hand-heldDC ohmmeter	37
Figure 13	- Garment (point-to-point) test	39
Figure 14	– Electrodes for hanging garment test	41
Figure 15	Alternate point-to-point resistance measurement	41
Figure 16	Setup for test method using concentric ring electrode assembly and sistance bar electrodes	
	Setup for test method using a DC ohmmeter and two-point probe	
•	Setup for test method using two resistance measurement electrodes	
-		
•	Setup for test method using a resistance measurement electrode	47
•	l – Example of a test setup for measuring body voltage whilst removing a	54

IEC TR 61340-5-4:2019 © IEC 2019 - 7 -

Figure B.2 – Example of a test setup for measuring body voltage whilst rubbing the garment under test	55
Figure B.3 – Example of a test setup for measuring body voltage on a person rising from a seat	56
Figure B.4 – Example of a test setup for measuring charge on garments	57
Figure B.5 – Examples of test setups for measuring charge decay time on garments as worn and on a bench-top after tribocharging	60
Figure B.6 – Example of test setup for measuring charge decay time after connecting a garment to a DC high-voltage supply	62
Figure C.1 – Soldering iron resistance and tip voltage measurements	64
Figure D.1 – Hand tool resistance measurement	67
Figure D.2 – Hand tool resistance to ground measurement	68
Figure D.3 – Hand tool charge decay time measurement	69
Figure F.1 – Wrist strap test wearing a glove using integrated checker	72
Figure F.2 – Glove test with hand-held electrode and DC ohmmeter via wrist strap	73
Figure F.3 – Test wearing a glove using constant area and force electrode	74

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a Technical Report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 61340-5-4, which is a Technical Report, has been prepared by IEC technical committee 101: Electrostatics.

IEC TR 61340-5-4:2019 © IEC 2019

-9-

The text of this Technical Report is based on the following documents:

Draft TR	Report on voting
101/581/DTR	101/586/RVDTR

Full information on the voting for the approval of this Technical Report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61340 series, published under the general title *Electrostatics*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Compliance verification is the process of monitoring and measuring all elements of an ESD control program. Regular compliance checks and tests are an essential part of this process, ensure that area precautions and equipment remain effective, and that an ESD control program is correctly implemented in compliance with an ESD control program plan.

Qualification testing is typically carried out under controlled conditions, often in a laboratory environment, and using industry recognized standards. Verification testing is carried out under operational conditions using test methods that are appropriate to an organization's requirements. Although qualification test methods can be used, compliance verification testing often uses simple equipment and procedures. Accuracy is still important, but of equal importance is the ability to carry out non-destructive testing without interrupting the normal business of the organization.

This document describes equipment and test methods that can be used for verification testing of ESD control items and systems, and provides users with some guidance on how to carry out the tests and take appropriate action to ensure continuous compliance.

The compliance verification test frequency is not described in this document. See Annex A for test frequency considerations.

ELECTROSTATICS -

Part 5-4: Protection of electronic devices from electrostatic phenomena – Compliance verification

1 Scope

This part of IEC 61340 describes compliance verification testing for technical items that are included in ESD control programs, such as those specified in IEC 61340-5-1.

Test methods, in the main body of this document, are based on those specified in IEC 61340-5-1 and other parts of IEC 61340, and are simplified where necessary for the purposes of compliance verification, to be performed by competent personnel.

Additional compliance verification tests and procedures within the scope of this document are described in Annexes B to G.

Users can, by reference to this document in their compliance verification plan, adopt the necessary test methods described herein without change or addition. Alternatively, tests methods described in this document can be adapted to match the requirements of their own ESD control program, provided deviations in equipment or procedure are documented in their compliance verification plan.

Product qualification is excluded from the scope of this document.

2 Normative references

There are no normative references in this document

3 Terms and definitions

For the purposes of this document, the terms and definitions given in the documents cited in the bibliography apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

4 Personnel safety

The procedures and equipment described in this document can expose personnel to hazardous electrical conditions. Users of this document are responsible for selecting equipment that complies with applicable laws, regulatory codes and both external and internal policy. This document cannot replace or supersede any requirements for personnel safety.

Electrical hazard reduction practices should be exercised and proper grounding instructions for equipment should be followed.