

BSI Standards Publication

Audio/video, information and communication technology equipment

Part 2: Explanatory information related to IEC 62368-1:2018



National foreword

This Published Document is the UK implementation of IEC TR 62368-2:2019. It supersedes PD IEC/TR 62368-2:2015, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EPL/108, Safety of electronic equipment within the field of audio/video, information technology and communication technology.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 539 01402 0

ICS 33.160.01; 35.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 May 2019.

Amendments/corrigenda issued since publication

Date Text affected



IEC TR 62368-2

Edition 3.0 2019-05

TECHNICAL REPORT

RAPPORT TECHNIQUE



Audio/video, information and communication technology equipment – Part 2: Explanatory information related to IEC 62368-1:2018

Équipements des technologies de l'audio/vidéo, de l'information et de la communication –

Partie 2: Précisions relatives à l'IEC 62368-1:2018

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 33.160.01; 35.020 ISBN 978-2-8322-6716-5

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

CONTENTS

FOF	REWOR	D	6		
INT	RODUC	TION	9		
0	Principles of this product safety standard				
1	Scope				
2	Normative references				
3	Terms, definitions and abbreviations				
4	General requirements		16		
5	Electrically-caused injury		23		
6	Electrically-caused fire				
7	Injury caused by hazardous substances10				
8	Mechanically-caused injury10				
9	Therma	al burn injury	117		
10	Radiati	ion	126		
Ann	ex A	Examples of equipment within the scope of this standard	133		
Ann	ех В	Normal operating condition tests, abnormal operating condition tests and single fault condition tests	133		
Ann	ex C	UV Radiation	136		
Ann	ex D	Test generators	136		
Ann	ex E	Test conditions for equipment containing audio amplifiers	137		
Ann	ex F	Equipment markings, instructions, and instructional safeguards	137		
Ann	ex G	Components	138		
Ann	ex H	Criteria for telephone ringing signals	146		
Ann	ex J	Insulated winding wires for use without interleaved insulation	148		
Ann	ex K	Safety interlocks	148		
Ann	ex L	Disconnect devices	148		
Ann	ex M	Equipment containing batteries and their protection circuits	149		
Ann	ex O	Measurement of creepage distances and clearances	158		
Ann	ex P	Safeguards against conductive objects	158		
Ann	ex Q	Circuits intended for interconnection with building wiring	159		
Ann	ex R	Limited short-circuit test	160		
Ann	ex S	Tests for resistance to heat and fire	160		
Ann	ex T	Mechanical strength tests	162		
Ann	ex U	Mechanical strength of CRTs and protection against the effects of implosion	163		
Ann	ex V	Determination of accessible parts	163		
Ann	ex X	Alternative method for determing clearances for insulation in circuits connected to an AC mains not exceeding 420 V peak (300 V RMS)	163		
Ann	ex Y	Construction requirements for outdoor enclosures	164		
Ann	ex A (ir	formative) Background information related to the use of SPDs	167		
	Annex B (informative) Background information related to measurement of discharges – Determining the R-C discharge time constant for X- and Y-capacitors180				
	`	nformative) Background information related to resistance to candle flame	192		

Bibliography	193
Figure 1 – Risk reduction as given in ISO/IEC Guide 51	11
Figure 2 – HBSE Process Chart	12
Figure 3 – Protective bonding conductor as part of a safeguard	15
Figure 4 – Safeguards for protecting an ordinary person	19
Figure 5 – Safeguards for protecting an instructed person	19
Figure 6 – Safeguards for protecting a skilled person	20
Figure 7 – Flow chart showing the intent of the glass requirements	22
Figure 8 – Conventional time/current zones of effects of AC currents (15 Hz to 100 Hz) on persons for a current path corresponding to left hand to feet (see IEC/TS 60479-1:2005, Figure 20)	25
Figure 9 – Conventional time/current zones of effects of DC currents on persons for a longitudinal upward current path (see IEC/TS 60479-1:2005, Figure 22)	
Figure 10 – Illustration that limits depend on both voltage and current	27
Figure 11 – Illustration of working voltage	39
Figure 12 – Illustration of transient voltages on paired conductor external circuits	41
Figure 13 – Illustration of transient voltages on coaxial-cable external circuits	42
Figure 14 – Basic and reinforced insulation in Table 14 of IEC 62368-1:2018; ratio reinforced to basic	43
Figure 15 – Reinforced clearances according to Rule 1, Rule 2, and Table 14	45
Figure 16 – Example illustrating accessible internal wiring	53
Figure 17 – Waveform on insulation without surge suppressors and no breakdown	56
Figure 18 – Waveforms on insulation during breakdown without surge suppressors	57
Figure 19 – Waveforms on insulation with surge suppressors in operation	57
Figure 20 – Waveform on short-circuited surge suppressor and insulation	57
Figure 21 – Example for an ES2 source	
Figure 22 – Example for an ES3 source	59
Figure 23 – Overview of protective conductors	61
Figure 24 – Example of a typical touch current measuring network	64
Figure 25 – Touch current from a floating circuit	66
Figure 26 – Touch current from an earthed circuit	67
Figure 27 – Summation of touch currents in a PABX	67
Figure 28 – Possible safeguards against electrically-caused fire	75
Figure 29 – Fire clause flow chart	78
Figure 30 – Prevent ignition flow chart	83
Figure 31 – Control fire spread summary	85
Figure 32 – Control fire spread PS2	86
Figure 33 – Control fire spread PS3	87
Figure 34 – Fire cone application to a large component	96
Figure 35 – Flowchart demonstrating the hierarchy of hazard management	108
Figure 36 – Model for chemical injury	109
Figure 37 – Direction of forces to be applied	114
Figure 38 – Model for a hurn injury	117

Figure 39 – Model for safeguards against thermal burn injury	119
Figure 40 – Model for absence of a thermal hazard	120
Figure 41 – Model for presence of a thermal hazard with a physical safeguard in place	120
Figure 42 – Model for presence of a thermal hazard with behavioural safeguard	
in place	
Figure 43 – Flowchart for evaluation of Image projectors (beamers)	128
Figure 44 – Graphical representation of $L_{\mbox{Aeq}}, T$	
Figure 45 – Overview of operating modes	135
Figure 46 – Voltage-current characteristics (Typical data)	140
Figure 47 – Example of IC current limiter circuit	144
Figure 48 – Current limit curves	147
Figure 49 – Example of a dummy battery circuit	157
Figure 50 – Example of a circuit with two power sources	160
Figure A.1 – Installation has poor earthing and bonding; equipment damaged (from ITU-T K.66)	168
Figure A.2 – Installation has poor earthing and bonding; using main earth bar for protection against lightning strike (from ITU-T K.66)	168
Figure A.3 – Installation with poor earthing and bonding, using a varistor and a GDT for protection against a lightning strike	169
Figure A.4 – Installation with poor earthing and bonding; equipment damaged (TV set)	169
Figure A.5 – Safeguards	170
Figure A.6 – Discharge stages	174
Figure A.7 – Holdover	175
Figure A.8 – Discharge	176
Figure A.9 – Characteristics	177
Figure A.10 – Follow on current pictures	178
Figure B.1 – Typical EMC filter schematic	180
Figure B.2 – 100 M Ω oscilloscope probes	182
Figure B.3 – Combinations of EUT resistance and capacitance for 1-s time constant	184
Figure B.4 – 240 V mains followed by capacitor discharge	
Figure B.5 – Time constant measurement schematic	
Figure B.6 – Worst-case measured time constant values for 100 M Ω and 10 M Ω probes	
Table 1 – General summary of required safeguards	20
Table 2 – Time/current zones for AC 15 Hz to 100 Hz for hand to feet pathway (see IEC/TS 60479-1:2005, Table 11)	26
Table 3 – Time/current zones for DC for hand to feet pathway (see IEC/TS 60479-1:2005, Table 13)	27
Table 4 – Limit values of accessible capacitance (threshold of pain)	30
Table 5 – Total body resistances R_{T} for a current path hand to hand, DC, for large surface areas of contact in dry condition	32
Table 6 – Insulation requirements for external circuits	42
Table 7 – Voltage drop across clearance and solid insulation in series	47
Table 8 – Examples of application of various safeguards	77

IEC TR 62368-2:2019 © IEC 2019 - 5 -

Table 10 – Supplementary safeguards against fire under single fault conditions	
	82
Table 11 – Method 1: Reduce the likelihood of ignition	
Table 12 – Method 2: Control fire spread	91
Table 13 – Fire barrier and fire enclosure flammability requirements	98
Table 14 – Summary – Fire enclosure and fire barrier material requirements10	02
Table 15 – Control of chemical hazards10	07
Table 16 – Overview of requirements for dose-based systems13	32
Table 17 – Safety of batteries and their cells – requirements (expanded information on documents and scope)15	51
Table B.1 – 100- M Ω oscilloscope probes	82
Table B.2 – Capacitor discharge18	83
Table B.3 – Maximum $T_{\it measured}$ values for combinations of $R_{\it EUT}$ and $C_{\it EUT}$ for $T_{\it EUT}$ of 1 s	90

INTERNATIONAL ELECTROTECHNICAL COMMISSION

AUDIO/VIDEO, INFORMATION AND COMMUNICATION TECHNOLOGY EQUIPMENT –

Part 2: Explanatory information related to IEC 62368-1:2018

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicy Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example, "state of the art".

IEC 62368-2, which is a Technical Report, has been prepared by IEC technical committee TC 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology.

This third edition updates the second edition of IEC 62368-2 published in 2014 to take into account changes made to IEC 62368-1:2014 as identified in the Foreword of IEC 62368-1:2018.

This Technical Report is informative only. In case of a conflict between IEC 62368-1 and IEC TR 62368-2, the requirements in IEC 62368-1 prevail over this Technical Report.

IEC TR 62368-2:2019 © IEC 2019

-7-

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
108/708/DTR	108/711/RVDTR

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

In this document, the following print types are used:

- notes/explanatory matter: in smaller roman type;
- tables and figures that are included in the rationale have linked fields (shaded in grey if "field shading" is active);
- terms that are defined in IEC 62368-1: in bold type.

In this document, where the term (HBSDT) is used, it stands for Hazard Based Standard Development Team, which is the Working Group of IEC TC 108 responsible for the development and maintenance of IEC 62368-1.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62368 series can be found, under the general title *Audio/video*, information and communication technology equipment, on the IEC website.

In this document, only those subclauses from IEC 62368-1 considered to need further background reference information or explanation to benefit the reader in applying the relevant requirements are included. Therefore, not all numbered subclauses are cited. Unless otherwise noted, all references are to clauses, subclauses, annexes, figures or tables located in IEC 62368-1:2018.

The entries in the document may have one or two of the following subheadings in addition to the Rationale statement:

Source – where the source is known and is a document that is accessible to the general public, a reference is provided.

Purpose – where there is a need and when it may prove helpful to the understanding of the Rationale, we have added a Purpose statement.

- 8 -

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

IEC 62368-1 is based on the principles of hazard-based safety engineering, which is a different way of developing and specifying safety considerations than that of the current practice. While this document is different from traditional IEC safety documents in its approach and while it is believed that IEC 62368-1 provides a number of advantages, its introduction and evolution are not intended to result in significant changes to the existing safety philosophy that led to the development of the safety requirements contained in IEC 60065 and IEC 60950-1. The predominant reason behind the creation of IEC 62368-1 is to simplify the problems created by the merging of the technologies of ITE and CE. The techniques used are novel, so a learning process is required and experience is needed in its application. Consequently, the committee recommends that this edition of the document be considered as an alternative to IEC 60065 or IEC 60950-1 at least over the recommended transition period.

AUDIO/VIDEO, INFORMATION AND COMMUNICATION TECHNOLOGY EQUIPMENT –

Part 2: Explanatory information related to IEC 62368-1:2018

0 Principles of this product safety standard

Clause 0 is informational and provides a rationale for the normative clauses of the document.

0.5.1 General

ISO/IEC Guide 51:2014, 6.3.5 states:

"When reducing risks the order of priority shall be as follows:

- a) inherently safe design;
- b) guards and protective devices;
- c) information for end users.

Inherently safe design measures are the first and most important step in the risk reduction process. This is because protective measures inherent to the characteristics of the product or system are likely to remain effective, whereas experience has shown that even well-designed guards and protective devices can fail or be violated and information for use might not be followed.

Guards and protective devices shall be used whenever an inherently safe design measure does not reasonably make it possible either to remove hazards or to sufficiently reduce risks. Complementary protective measures involving additional equipment (for example, emergency stop equipment) might have to be implemented.

The end user has a role to play in the risk reduction procedure by complying with the information provided by the designer/supplier. However, information for use shall not be a substitute for the correct application of inherently safe design measures, guards or complementary protective measures."

In general, this principle is used in IEC 62368-1. The table below shows a comparison between the hierarchy required in ISO/IEC Guide 51 and the hierarchy used in IEC 62368-1:2018:

ISO/IEC Guide 51	IEC 62368-1
a) inherently safe design	1. inherently safe design by limiting all energy
	hazards to class 1
b) guards and protective devices	2. equipment safeguards
	3. installation safeguards
	4. personal safeguards
c) information for end users	5. behavioral safeguards
	6. instructional safeguards

Risk assessment has been considered as part of the development of IEC 62368-1 as indicated in the following from ISO/IEC Guide 51 (Figure 1) in this document. See also the Hazard Based Safety Engineering (HBSE) Process Flow (Figure 2) in this document that also provides additional details for the above comparison.




Figure 1 - Risk reduction as given in ISO/IEC Guide 51




Figure 2 - HBSE Process Chart

0.5.7 Equipment safeguards during skilled person service conditions

Purpose: To explain the intent of requirements for providing safeguards against

involuntary reaction.

Rationale: By definition, a **skilled person** has the education and experience to identify

all class 3 energy sources to which he may be exposed. However, while servicing one class 3 energy source in one location, a **skilled person** may

be exposed to another class 3 energy source in a different location.

In such a situation, either of two events is possible. First, something may cause an involuntary reaction of the **skilled person** with the consequences of contact with the class 3 energy source in the different location. Second, the space in which the **skilled person** is located may be small and cramped, and inadvertent contact with a class 3 energy source in the

different location may be likely.

In such situations, this document may require an **equipment safeguard** solely for the protection of a **skilled person** while performing servicing

activity.

1 Scope

Purpose: To identify the purpose and applicability of this document and the

exclusions from the scope.

Rationale: The scope excludes requirements for functional safety. Functional safety is

addressed in IEC 61508-1. Because the scope includes computers that may control safety systems, functional safety requirements would necessarily include requirements for computer processes and software.

The requirements provided in IEC 60950-23 could be modified and added to IEC 62368 as another –X document. However, because of the hazard-based nature of IEC 62368-1, the requirements from IEC 60950-23 have been incorporated into the body of IEC 62368-1 and made more generic.

The intent of the addition of the IEC 60950-23 requirements is to maintain the overall intent of the technical requirements from IEC 60950-23, incorporate them into IEC 62368-1 following the overall format of IEC 62368-1 and simplify and facilitate the application of these requirements.

Robots traditionally are covered under the scopes of ISO documents, typically maintained by ISO TC 299. ISO TC 299 has working groups for personal care robots and service robots, and produces for example, ISO 13482, Robots and robotic devices – Safety requirements for personal care robots.

2 Normative references

The list of normative references is a list of all documents that have a normative reference to it in the body of the document. As such, referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Recently, there were some issues with test houses that wanted to use the latest edition as soon as it was published. As this creates serious problems for manufacturers, since they have no chance to prepare, it was felt that a reasonable transition period should be taken into account. This is in line with earlier decisions taken by the SMB that allow transition periods to be mentioned in the foreword of the documents. Therefore IEC TC 108 decided to indicate this in the introduction of the normative references clause, to instruct test houses to take into account any transition period, effective date or date of withdrawal established for the document.

These documents are referenced, in whole, in part, or as alternative requirements to the requirements contained in this document. Their use is specified, where necessary, for the application of the requirements of this document. The fact that a standard is mentioned in the list does not mean that compliance with the document or parts of it are required.

3 Terms, definitions and abbreviations

Rationale is provided for definitions that deviate from IEV definitions or from Basic or Group Safety publication definitions.

3.3.2.1 electrical enclosure

Source: IEC 60050-195:1998, 195-06-13

Purpose: To support the concept of **safeguards** as used in this document.

Rationale: The IEV definition is modified to use the term "safeguard" in place of the word "protection". The word "safeguard" identifies a physical "thing" whereas the word "protection" identifies the act of protecting. This document sets forth requirements for use of physical safeguards and requirements for those safeguards. The safeguards provide "protection"

against injury from the equipment.