

BSI Standards Publication

Electric vehicle wireless power transfer (WPT) systems

Part 2: Specific requirements for communication between electric road vehicle (EV) and infrastructure



National foreword

This Published Document is the UK implementation of IEC TS 61980-2:2019.

The UK participation in its preparation was entrusted to Technical Committee PEL/69, Electric vehicles.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 88638 6

ICS 43.120

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 June 2019.

Amendments/corrigenda issued since publication

Date Text affected



IEC TS 61980-2

Edition 1.0 2019-06

TECHNICAL SPECIFICATION



Electric vehicle wireless power transfer (WPT) systems – Part 2: Specific requirements for communication between electric road vehicle (EV) and infrastructure

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 43.120 ISBN 978-2-8322-6679-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	DREWO	RD	7
IN	TRODU	ICTION	9
1	Scop	e	10
2	Norm	native references	10
3		is and definitions	
4		eviated terms	
5		munication of WPT systems	
J	5.1	General	
	5.1	System architecture	
	5.2	General system requirements	
	5.3.1	·	
	5.3.2		
	5.3.3		
	5.3.4	•	
	5.3.5	·	
6		er transfer process with respect to communication	
•	6.1	General	
	6.2	Overview of operation process activities	
	6.3	Activities	
	6.3.1		
	6.3.2		
	6.3.3	•	
	6.3.4		
	6.3.5	S .	
	6.3.6	•	
	6.3.7	<u> </u>	
	6.3.8	·	
	6.3.9	· · · · · · · · · · · · · · · · · · ·	
	6.3.1	0 Stop power transfer	23
	6.3.1	1 WPT session	24
	6.3.1	2 EV leaves WPT spot	24
	6.3.1	3 Safety monitoring and diagnostics	24
	6.3.1	4 Terminate communication	25
	6.3.1	5 Terminate safety monitoring and diagnostics	25
	6.3.1	6 Wake-up after power outage	25
7	Conti	rol process states	26
	7.1	Supply device state definitions	26
	7.1.1	Supply device state diagram	26
	7.1.2	Stand by (WPT_S_SB)	27
	7.1.3	(= = /	
	7.1.4	,	
	7.1.5		
	7.1.6	, = = ,	
	7.1.7	(= = /	
	7.1.8	• • = = /	
	7.1.9	Out of service (WPT_S_OOS)	34

7.1.1	0 Sleep mode WPT_S_SLP	34
7.2	Supply device state transitions	35
7.3	EV device state definitions	36
7.3.1	EV device state diagram	36
7.3.2	Stand by (WPT_V_SB)	37
7.3.3	Service initiated (WPT_V_SI)	38
7.3.4	Awaiting alignment (WPT_V_AA)	39
7.3.5	Idle (WPT_V_IDLE)	40
7.3.6	Power transfer active (WPT_V_PT)	40
7.3.7		
7.4	EV state transitions	40
7.5	Exception handling	41
7.5.1	General	41
7.5.2	Supply device exception handling (WPT S ERR)	41
7.5.3		
7.5.4	, , , , , , , , , , , , , , , , , , , ,	
Comi		
	·	
	·	
	ŭ i ŭ	
	· · · · · · · · · · · · · · · · · · ·	
	·	
	·	
	·	
	• •	
	•	
9.1		
9.2	Messages of communication for power transfer	
9.3	Communication setup	51
9.4	Service selection	
9.5	Fine positioning	52
9.6	Pairing	52
9.7	Final compatibility check	52
9.8	Initial alignment check	52
9.9	Prepare power transfer	53
	7.2 7.3 7.3.1 7.3.2 7.3.3 7.3.4 7.3.5 7.3.6 7.3.7 7.4 7.5 7.5.1 7.5.2 7.5.3 7.5.4 Comi 8.1 8.2 8.3 8.4 8.5 8.5.1 8.5.2 8.5.3 8.5.4 8.6 8.6.1 8.7 8.7.2 8.8 8.8.1 8.8.2 8.9 8.10 8.11 8.12 Mess 9.1 9.2 9.3 9.4 9.5 9.6 9.7 9.8	7.2 Supply device state transitions. 7.3 EV device state definitions

_	4	_
---	---	---

9.10	Perform power transfer	. 53
9.11	Stop power transfer	
9.12	Terminate communication	
Annex A (informative) Use cases	. 55
A.1	General	
A.2	Use case descriptions	. 57
A.2.1	11.9	
A.2.2		
A.2.3	' "	
A.2.4		
A.2.5	, 5	
A.2.6	•	
A.2.7		
A.2.8		
Annex B (informative) Physical definition of links and signals	.69
B.1	General	
B.2	System architecture	. 69
B.3	WLAN	
B.4	SR signal	
B.5	LF signal (EV device to supply device)	
B.6	Magnetic vector (EV device to supply device)	
B.7	LPE (supply device to EV device)	
Annex C (informative) Usage of supplemental signals	.73
C.1	General	.73
C.2	Fine positioning	.73
C.2.1	General	.73
C.2.2	Manual	.73
C.2.3	Low power excitation (LPE)	.73
C.2.4	LF signal	.74
C.2.5	Magnetic vector	.77
C.3	Pairing	.77
C.3.1	General	.77
C.3.2	Coding pattern specification	.77
C.3.3	Low power excitation (LPE)	.78
C.3.4	SR signal	.79
C.3.5	LF signal	.79
C.3.6	Magnetic vector	.79
C.4	Initial alignment check	. 80
C.4.1	General	. 80
C.4.2	LPE target current check	.80
C.4.3	RSSI method	. 81
C.5	Continuous alignment check	.82
C.5.1	General	. 82
C.5.2	,	
C.5.3	SR signal	. 83
C.6	Emergency shutdown	. 83
C.6.1	General	. 83
C.6.2	RF signal	. 83
C.6.3	Power termination	. 83

Bibliography	84
Figure 1 – Possible elements of combination in a communication subsystem	15
Figure 2 – WPT site with a single supply device	16
Figure 3 – Operation process of activities for the WPT	17
Figure 4 – Supply device state diagram	26
Figure 5 – Activity communication setup	
Figure 6 – Activity service selection	
Figure 7 – Activity reject WPT session	29
Figure 8 – Activity from fine positioning to initial alignment check	30
Figure 9 – Activity prepare power transfer	
Figure 10 – Activity terminate WPT session	32
Figure 11 – Activity Sleep	32
Figure 12 – Activity stop power transfer	33
Figure 13 – Activity EV leave WPT spot	34
Figure 14 – Activity wake-up	35
Figure 15 – EV device state diagram	37
Figure 16 – Activity communication setup (EV device state)	38
Figure 17 – Activity service selection (EV device state)	38
Figure 18 – Activity from fine positioning to initial alignment check (EV device state)	39
Figure 19 – Activity prepare power transfer (EV device state)	40
Figure A.1 – Use cases particularly for wireless power transfer	55
Figure A.2 – Use cases from ISO 15118-1 reusable for WPT systems	56
Figure A.3 – Activity diagram for UC select supply device	58
Figure A.4 – Activity diagram for UC fine positioning	61
Figure A.5 – Activity diagram for UC prepare power transfer	63
Figure A.6 – Activity diagram for UC perform power transfer	65
Figure A.7 – Activity diagram for UC stop power transfer	66
Figure A.8 – Activity diagram for UC sleep mode	68
Figure B.1 – Example arrangement of the auxiliary LF antennas for the primary device (left) and the vehicle (right)	71
Figure B.2 – Example arrangement of the auxiliary LF antennas for the primary device (left) and the EV (right)	72
Figure C.1 – Explanation of parameters for LF fine positioning	
Figure C.2 – Coding pattern timing and examples	78
$\label{eq:comparison} \textbf{Figure C.3-Symmetrical antenna configuration for signal comparison with zero offset}$	81
Figure C.4 – Symmetrical antenna configuration for signal comparison with given offset	82
Table 1 – Supply device state transitions	
Table 2 – EV device state transitions	
Table 3 – Exception handling	
Table 4 – Service selection EVCC request parameters	43
Table 5 – Service selection SECC response parameters	43
Table 6 Method list for fine positioning	11

Table 7 – Method list for pairing	45
Table 8 – Method list for initial alignment	45
Table 9 – Fine positioning response	45
Table 10 – Pairing start request	46
Table 11 – Pairing start response	46
Table 12 – Pairing confirmation request	47
Table 13 – Pairing confirmation response	47
Table 14 – Initial alignment check request	47
Table 15 – Initial alignment check response	47
Table 16 – Final compatibility check request parameters	48
Table 17 – Final compatibility check response parameters	48
Table 18 – Perform power transfer request parameters	49
Table 19 – Perform power transfer response parameters	49
Table 20 – Error request parameters	50
Table 21 – Error respond parameters	50
Table A.1 – UC select supply device	57
Table A.2 – UC service selection	59
Table A.3 – UC fine positioning	60
Table A.4 – UC prepare power transfer	62
Table A.5 – UC safety monitoring and diagnostics	64
Table A.6 – UC perform power transfer	64
Table A.7 – UC stop power transfer	
Table A.8 – UC sleep mode	67
Table C.1 – Data of the antenna arrangement at EV to send to SECC	74
Table C.2 – Data of the antenna arrangement at primary device to send to EVCC	75
Table C.3 – Data exchanged between EVCC and SECC during fine positioning	76

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS -

Part 2: Specific requirements for communication between electric road vehicle (EV) and infrastructure

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 61980-2, which is a Technical Specification, has been prepared by IEC technical committee TC 69: Electric road vehicles and electric industrial trucks.

The text of this Technical Specification is based on the following documents:

Draft TS	Report on voting
69/529/DTS	69/585B/RVDTS

Full information on the voting for the approval of this Technical Specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO Directives, Part 2.

In this Technical Specification, the following print types are used:

- conformity statements: in italic type;
- states and messages: bold type.

A list of all parts of the IEC 61980 series, published under the general title *Electric vehicle* wireless power transfer (WPT) systems, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT - The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The IEC 61980 series is published in separate parts according to the following structure:

- IEC 61980-1 covers general requirements for electric road vehicle (EV) wireless power transfer (WPT) systems including general background and definitions. (e.g. efficiency, electrical safety, EMC);
- IEC TS 61980-2 covers specific requirements for communication between electric road vehicle (EV) and wireless power transfer (WPT) systems including general background and definitions;
- IEC TS 61980-3 covers specific requirements for electric road vehicle (EV) magnetic field wireless power transfer (MF-WPT) systems including general background and definitions (e.g. efficiency, electrical safety, EMC).

The requirements described in IEC 61980-1 are general. The technical requirements for the various wireless power transfer (WPT) technologies are very different; they are specified in the technology specific parts of the IEC 61980 series. A list of possible WPT technologies is listed in IEC 61980-1. The requirements for magnetic field-wireless power transfer systems (MF-WPT) are described in IEC TS 61980-3. Further parts of the IEC 61980 series will describe other technologies such as power transfer via electric field or via electromagnetic field wireless power transfer systems (EF-WPT) or electromagnetic field-WPT systems, also named microwave-WPT systems (MW-WPT).

Reference to "technology specific parts" always refers to each parts of the IEC 61980 series. The structure of the "technology specific parts" follows the structure of IEC 61980-1.

WPT systems are still under development. For this reason, there is the future but not immediate possibility of an agreement to publish an International Standard. The committee has decided, by following the procedure set out in ISO/IEC Directives, Part 1:2018, 2.3, that the publication of a Technical Specification is appropriate. The reasons for publishing the Technical Specification is a high market need for a first basic technical description.

IEC TS 61980-2, also published as a Technical Specification for the same reasons as IEC TS 61980-3, deals with communication and for this reason has an independent structure. The numbering of the clauses does not follow the numbering of the other parts of the IEC 61980 series.

The electric road vehicles (EV) requirements of the MF-WPT system are covered by ISO/PAS 19363.

ELECTRIC VEHICLE WIRELESS POWER TRANSFER (WPT) SYSTEMS -

Part 2: Specific requirements for communication between electric road vehicle (EV) and infrastructure

1 Scope

This Part of IEC 61980, which is a Technical Specification, applies to communication between electric road vehicle (EV) and wireless power transfer (WPT) systems when connected to the supply network, at standard supply voltages per IEC 60038 up to 1000 V AC and up to 1500 V DC.

This document also applies to wireless power transfer equipment supplied from on-site storage systems (e.g. buffer batteries) at standard supply voltages per IEC 60038 up to 1000 V AC and up to 1500 V DC.

The aspects covered in this document include

- standards for operational characteristics and functional characteristics of the WPT communication subsystem,
- communication requirements for WPT system while driving, which are under consideration,
- communication requirements for two- and three-wheel vehicles, which are under consideration, and
- communication requirements for bidirectional power transfer are under consideration

This document does not apply to

- safety aspects related to maintenance, and
- trolley buses, rail vehicles and vehicles designed primarily for use off-road.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61980-1, Electric vehicle wireless power transfer (WPT) systems – Part 1: General requirements

IEC TS 61980-3:2019, Electric vehicle wireless power transfer (WPT) systems – Part 3 Specific requirements for the magnetic field wireless power transfer systems

ISO 15118 (all parts), Road vehicles - Vehicle to grid communication interface

ISO 15118-2, Road vehicles – Vehicle to grid communication interface – Part 2: Network and application protocol requirements¹

¹ Second edition under preparation. Stage at the time of publication: ISO/DIS 15118-2:2019.