PD IEC TS 62257-9-7:2019



BSI Standards Publication

Renewable energy and hybrid systems for rural electrification

Part 9-7: Recommendations for selection of inverters



National foreword

This Published Document is the UK implementation of IEC TS 62257-9-7:2019.

The UK participation in its preparation was entrusted to Technical Committee GEL/82, Photovoltaic Energy Systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 97976 7

ICS 27.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2019.

Amendments/corrigenda issued since publication

Date

Text affected





Edition 1.0 2019-10

TECHNICAL SPECIFICATION

Renewable energy and hybrid systems for rural electrification – Part 9-7: Recommendations for selection of inverters

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.160

ISBN 978-2-8322-7397-5

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

| FC | DREWO | RD | .4 | | | | |
|----|---|---|----------|--|--|--|--|
| 1 | Scop | e | .6 | | | | |
| 2 | Norm | ative references | .6 | | | | |
| 3 | 3 Terms and definitions | | | | | | |
| 4 | 4 Overview 7 | | | | | | |
| 5 | System architecture and invertor collection | | | | | | |
| 6 | Gono | | | | | | |
| 0 | Gene | | .0 | | | | |
| | 6.1 | | .8 | | | | |
| | 6.2 | IP rating | .8 | | | | |
| | 6.3 | Ambient temperature | .8 | | | | |
| | 6.4 | Altitude | .9 | | | | |
| | 6.5 | Direct sunlight | .9 | | | | |
| | 6.6 | Efficiency | .9 | | | | |
| | 6.7 | No-load and stand-by power requirements | .9 | | | | |
| | 6.8 | Ventilation requirements | .9 | | | | |
| | 6.9 | Earthing arrangements | .9 | | | | |
| | 6.10 | Waveform quality | .9 | | | | |
| | 6.11 | Compatibility with loads that produce significant harmonics | .9 | | | | |
| | 6.12 | Electromagnetic interference | 10 | | | | |
| | 6.13 | Load growth | 10 | | | | |
| | 6.14 | Protection | 10 | | | | |
| 7 | Varia | ble speed drives and T1I-c systems – REN systems operating with no | 10 | | | | |
| | stora | | 10 | | | | |
| | 7.1 | | 10 | | | | |
| | 1.2 | Characteristics of the inverter | 11 | | | | |
| | 7.2.1 | Frequency control | 11 | | | | |
| | 7.2.2 | MPPT | 11 | | | | |
| | 7.3 | Sizing of the inverter | 11 | | | | |
| | 7.3.1 | General | 11 | | | | |
| | 7.3.2 | AC voltage | 12 | | | | |
| | 7.3.3 | AC current | 12 | | | | |
| | 7.3.4 | DC voltage | 12 | | | | |
| | 7.3.5 | DC current | 12 | | | | |
| | 7.4 | VFD standards | 12 | | | | |
| | 7.5 | Variations on the architecture | 12 | | | | |
| 8 | Uni-d – RF | lirectional grid creating inverters that work with batteries – Type T2I systems | 12 | | | | |
| | 8 1 | General | 12 | | | | |
| | 0.1 8.2 | Characteristics of the inverter | 12 12 | | | | |
| | 0.2 | Orid erection | 10 | | | | |
| | 0.2.1 | Sizing of the invertor | 13 | | | | |
| | د.ں م م م | Input DC voltage | 14 11 | | | | |
| | 0.3.1 | Input DC voltage | 14 14 | | | | |
| | 0.3.2 | AC surrent and newer | 14 14 | | | | |
| | Ø.3.3 | | 14 14 | | | | |
| | ö.3.4 | | 14 14 | | | | |
| | 8.3.5 | Power factor nangling range | 14 | | | | |
| | ö.4 | variations on the architecture | 14 | | | | |

| 9 Uni-o and o | direct diese | ional inverters that synchronize to the grid – Type T3I systems – REN I production without energy storage | 15 | | | | |
|---|-----------------|--|----|--|--|--|--|
| 9.1 | Gen | eral | 15 | | | | |
| 9.2 | Cha | racteristics of the inverter | 16 | | | | |
| 9.2.1 | | General | 16 | | | | |
| 9.2.2 | 2 | Grid synchronizing | 16 | | | | |
| 9.2.3 | 5 | MPPT tracking | 16 | | | | |
| 9.2.4 9.2.5 9.3 Siz 9.3.1 | | Active power control | 16 | | | | |
| | | Grid support | 16 | | | | |
| | | ng of the inverter | 16 | | | | |
| | | Input DC voltage | 16 | | | | |
| 9.3.2 | 2 | Input DC current | 17 | | | | |
| 9.3.3 | 5 | Output AC current and power | 17 | | | | |
| 9.4 | Vari | ations on the architecture | 17 | | | | |
| 10 Bi-directional grid creating inverters that work with batteries – Type T4I systems, RE and diesel with energy storage | | | | | | | |
| 10.1 | Gen | eral | 17 | | | | |
| 10.2 | Cha | racteristics of the inverter | 18 | | | | |
| 10.2 | .1 | Grid creation | 18 | | | | |
| 10.2 | .2 | Battery management | 18 | | | | |
| 10.2 | .3 | Frequency modulation | | | | | |
| 10.2 | .4 | Master-slave | 19 | | | | |
| 10.2 | .5 | Reactive power control | 19 | | | | |
| 10.3 | Sizi | ng the inverter | 19 | | | | |
| 10.3 | .1 | General | 19 | | | | |
| 10.3 | .2 | Input DC voltage | 19 | | | | |
| 10.3 | .3 | Input DC current | 19 | | | | |
| 10.3 | .4 | Output AC voltage | 19 | | | | |
| 10.3 | .5 | Output AC current | 19 | | | | |
| 10.4 | Vari | ations on the architecture | 20 | | | | |
| Figure 1 - | - Тур | e T1I-c system – DC to AC with no batteries | 11 | | | | |
| Figure 2 – Type T2I system – DC to AC with batteries | | | | | | | |
| Figure 3 – Type T3I system – DC to AC with diesel but no batteries | | | | | | | |
| Figure 4 – Type T4I system – DC to AC with diesel and batteries | | | | | | | |
| Table 1 – | Туре | es of inverter and system architecture it is applicable to | 8 | | | | |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 9-7: Recommendations for selection of inverters

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62257-9-7, which is a Technical Specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

IEC TS 62257-9-7:2019 © IEC 2019 - 5 -

The text of this Technical Specification is based on the following documents:

| Enquiry draft | Report on voting |
|---------------|------------------|
| 82/1473/DTS | 82/1546A/RVDTS |

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part of IEC 62257 is to be used in conjunction with IEC 62257 (all parts).

A list of all parts in the IEC 62257 series, published under the general title *Renewable energy and hybrid systems for rural electrification*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

Part 9–7: Recommendations for selection of inverters

1 Scope

This part of IEC 62257, which is a technical specification, specifies the criteria for selecting and sizing inverters suitable for different off-grid applications integrating solar as an energy source.

As well as off-grid system, this document can also apply to inverters where a utility grid connection is available as a backup for charging batteries, but it is not intended to cover applications in which inverters synchronize and inject energy back into a utility grid, even though this capability may incidentally be a part of the functionality of the inverters.

Single and multi-phase applications are included.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60529, Degrees of protection provided by enclosures (IP Code)

IEC 61683, *Photovoltaic systems – Power conditioners – Procedure for measuring efficiency*

IEC 61800, (all parts), Adjustable speed electrical power drive systems

IEC 61800-3, Adjustable speed electrical power drive systems – Part 3: EMC requirements and specific test methods

IEC 61800-5-1, Adjustable speed electrical power drive systems – Part 5-1: Safety requirements – Electrical, thermal and energy

IEC TS 61836, Solar photovoltaic energy systems – Terms, definitions and symbols

IEC 62109, (all parts), Safety of power converters for use in photovoltaic power systems

IEC 62109-1, Safety of power converters for use in photovoltaic power systems – Part 1: General requirements

IEC TS 62257-2, Recommendations for renewable energy and hybrid systems for rural electrification – Part 2: From requirements to a range of electrification systems

IEC TS 62257-7-1:2010, Recommendations for small renewable energy and hybrid systems for rural electrification – Part 7-1: Generators – Photovoltaic generators