



BSI Standards Publication

**Water quality — Detection and quantification of
Legionella spp. and/or *Legionella pneumophila*
by concentration and genic amplification by
quantitative polymerase chain reaction (qPCR)**

National foreword

This Published Document is the UK implementation of ISO/TS 12869:2019. It supersedes PD ISO/TS 12869:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee EH/3/4, Microbiological methods.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019

Published by BSI Standards Limited 2019

ISBN 978 0 580 98895 0

ICS 07.100.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 April 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL SPECIFICATION

**ISO/TS
12869**

Second edition
2019-04

Water quality — Detection and quantification of *Legionella* spp. and/or *Legionella pneumophila* by concentration and genic amplification by quantitative polymerase chain reaction (qPCR)

Qualité de l'eau — Détection et quantification de Legionella spp. et/ou Legionella pneumophila par concentration et amplification génique par réaction de polymérisation en chaîne quantitative (qPCR)



Reference number
ISO/TS 12869:2019(E)

© ISO 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms, definitions, symbols and abbreviated terms	1
3.1 Terms and definitions	1
3.2 Symbols and abbreviated terms	4
4 Principle	4
5 Sampling	4
6 General testing conditions	5
6.1 General	5
6.2 Staff	5
6.3 Premises	5
6.4 Apparatus and consumables (excluding reagents)	6
6.4.1 Apparatus	6
6.4.2 Consumables	6
6.4.3 Concentration	6
6.4.4 Extraction and PCR (detection and quantification)	6
6.5 Reagents	7
6.5.1 General	7
6.5.2 PCR reagents	7
6.5.3 Other reagents	7
6.6 Decontamination of equipment and premises	8
6.7 Treatment and elimination of waste	8
7 Procedure	8
7.1 Concentration	8
7.2 DNA extraction	8
7.2.1 General	8
7.2.2 Protocols	8
7.2.3 Stability of DNA extracts	9
7.3 DNA amplification by PCR	9
7.3.1 General	9
7.3.2 Target sequences, primers and probes	9
7.3.3 Amplification mix preparation	11
7.4 Quantitative detection	12
7.4.1 General	12
7.4.2 PCR protocol	13
7.5 Qualitative detection	14
8 Expression of the results	14
9 Technical protocol for the characterization and the validation of the method	16
9.1 General	16
9.2 Inclusivity and exclusivity of probes and primers	16
9.3 Verification of the calibration function of the quantitative PCR phase	17
9.3.1 General	17
9.3.2 Calibration curve verification principle	17
9.3.3 Calibration curve evaluation protocol	18
9.3.4 Analysis of the results	19
9.3.5 Use of the calibration curve	21
9.4 Verification of the PCR limit of quantification, LQ _{qPCR}	22
9.4.1 Principle	22
9.4.2 Experimental design	22

9.4.3	Analysis of results.....	22
9.4.4	Theoretical limit of quantification of the whole method.....	23
9.5	Verification of the PCR limit of detection (LDqPCR).....	24
9.6	Recovery method.....	24
9.6.1	Principle.....	24
9.6.2	Protocol.....	24
9.6.3	Calculations.....	25
9.7	Robustness.....	25
9.8	Measurement uncertainty of the whole method.....	26
10	Quality controls.....	26
10.1	General.....	26
10.2	Connecting the calibration solution and the reference material to the primary standard.....	27
10.2.1	Principle.....	27
10.2.2	Protocol.....	27
10.2.3	Data analysis.....	27
10.3	Monitoring of the performances.....	28
10.3.1	Calibration performances.....	28
10.3.2	Monitoring of the performances at the limit of quantification.....	29
10.4	Positive and negative controls of the method.....	29
10.5	No template control (NTC).....	29
10.6	Inhibition control.....	29
10.6.1	General.....	29
10.6.2	The inhibition control is the target.....	29
10.6.3	The inhibition control is either a plasmid or an oligonucleotide.....	30
11	Test report.....	31
Annex A (informative) Example of protocol for producing a quantitative standard DNA solution.....		32
Annex B (informative) Example of method for determining the cycle threshold.....		33
Annex C (informative) Example of a study of the quantitative PCR phase calibration function.....		35
Annex D (informative) Specific Student distribution.....		39
Annex E (informative) Example of recovery evaluation.....		40
Annex F (informative) Example of overall uncertainty evaluation.....		42
Annex G (normative) Evaluation of the performances of a third party validated method.....		43
Annex H (informative) Interlaboratory studies.....		44
Bibliography.....		47

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 147, *Water quality*, Subcommittee SC 4, *Microbiological methods*.

This second edition cancels and replaces the first edition (ISO/TS 12869:2012), which has been technically revised. The main changes compared to the previous edition are as follows:

- meet expectations from customers and governments faced with *Legionella* risk;
- information on management, especially needing a fast result, has been updated;
- the use of new technologies while overseeing the development work of various actors in the sector has been allowed;
- the return of experiences from the laboratories using this method since 2006 has been taken into account;
- in [Annex G](#), information on evolution of the requirements for the use of third party validated commercial kits has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The presence of *L. pneumophila* or *Legionella* spp. in water samples is demonstrated and quantified by amplifying DNA sequences (PCR) with specific oligonucleotides. Specificity of the detection is ensured by using a target sequence specific fluorescent-labelled probe. The increase in the amount of the DNA amplicon can be measured and visualized in real time by a quantitative PCR device with fluorophore specific filters.

A calibration curve is used for quantification purposes. The guidelines, minimum requirements and performance characteristics are intended to guarantee that the results are reliable and reproducible between different laboratories.

This document specifies a determination of the recovery of the DNA extraction. The performance of the extraction procedure is not fully covered (lysis efficiency is not estimated).

Water quality — Detection and quantification of *Legionella* spp. and/or *Legionella pneumophila* by concentration and genic amplification by quantitative polymerase chain reaction (qPCR)

WARNING — *Legionella* spp. shall be handled safely by experienced microbiologists on the open bench in a conventional microbiology laboratory conforming to containment level 2. Infection by *Legionella* spp. is caused by inhalation of the organism; hence it is advisable to assess all techniques for their ability to produce aerosols. In case of doubt, carry out the work in a safety cabinet.

1 Scope

This document specifies a method for the detection and quantification of *Legionella* spp. and *L. pneumophila* using a quantitative polymerase chain reaction (qPCR). It specifies general methodological requirements, performance evaluation requirements, and quality control requirements.

Technical details specified in this document are given for information only. Any other technical solutions complying with the performance requirements are suitable.

NOTE 1 For performance requirements, see [Clause 9](#).

This document is intended to be applied in the bacteriological investigation of all types of water (hot or cold water, cooling tower water, etc.), unless the nature and/or content of suspended matter and/or accompanying flora interfere with the determination. This interference can result in an adverse effect on both the detection limit and the quantification limit.

NOTE 2 For validation requirements, see [9.7](#).

The results are expressed as the number of genome units of *Legionella* spp. and/or *L. pneumophila* per litre of sample.

The method described in this document is applicable to all types of water. However, some additives, such as chemicals used for water treatment, can interfere with and/or affect the sensitivity of the method.

The qPCR methods do not give any information about the physiological state of the *Legionella*.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19458, *Water quality — Sampling for microbiological analysis*

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.