

BSI Standards Publication

Plastics — Instrumented micro-indentation test for hardness measurement



National foreword

This Published Document is the UK implementation of ISO/TS 19278:2019.

The UK participation in its preparation was entrusted to Technical Committee PRI/21, Testing of plastics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 84351 8

ICS 83.080.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 April 2019.

Amendments/corrigenda issued since publication

Date Text affected

PD ISO/TS 19278:2019

TECHNICAL SPECIFICATION

ISO/TS 19278

First edition 2019-04

Plastics — Instrumented microindentation test for hardness measurement

Plastiques — Essai instrumenté de micro-indentation pour le mesurage de la dureté



PD ISO/TS 19278:2019 **ISO/TS 19278:2019(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Cor	ntents	Page
Fore	eword	iv
Intro	oduction	v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Principle	2
5	Apparatus 5.1 General 5.2 Indenter 5.3 Displacement measurement device 5.4 Loading unit and force measuring device 5.5 Periodic checks of test apparatus	
6	Test specimen	3
7	Conditioning	3
8	Procedure	4
9	Number of test specimens	5
10	Expression of results	5
11	Test report	6
Anne	nex A (informative) Precision statement	8
Bibli	liography	9

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 2, *Mechanical behaviour*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document was developed in response to a demand to define an instrumented indentation hardness test method in the micro scale for quality control of plastics materials and material selection. The test conditions are defined to ensure reproducibility and comparability of test results.

The Rockwell hardness method (ISO 2039-2) and the ball indentation method (ISO 2039-1) have been formulated for determining the indentation hardness of plastics. These test methods use different scales depending on the hardness of the material and it is difficult to compare hardness values of materials when they are measured on different scales.

The Vickers hardness test method (ISO 6507-1), used for metallic materials, is a method that does not use different scales. The Vickers hardness is calculated as the ratio of indentation load and the residual area of contact of the indenter. However, when this method is applied to plastics materials, it is difficult to measure the residual area of contact of the indenter because the edge of the indentation cannot be specified.

The instrumented indentation hardness test method (ISO 14577-1) is intended for hardness measurement in the range from nano-indentation to macro-indentation. In this method, since the contact area of the indenter is directly determined from the indentation depth, the above-mentioned problem is solved. It is therefore possible to determine the indentation hardness of the plastic materials.

In this document, in order to avoid errors due to detection of initial contact, a test force that can result in sufficient indentation depth within the range of micro-indentation is specified. For example, the range of indentation depth under this condition, which is from 10 μm to 50 μm in the case of the four types of materials described in this document, also corresponds to the dimension (scale) of the diagonal length range of 0,020 mm to 1,400 mm specified by the Vickers hardness test method (ISO 6507-1). In this document, the measurement time of a single condition is specified similarly to the Rockwell hardness method (ISO 2039-2).

Plastics — Instrumented micro-indentation test for hardness measurement

1 Scope

This document specifies a hardness test method for plastics using instrumented indentation in the micro scale with one clearly defined test condition to ensure reproducibility and comparability of test results.

The test method is selectively suitable for use with the following materials:

- moulding, extrusion and cast thermoplastic materials; rigid and semi-rigid thermoplastics sheets;
- rigid and semi-rigid thermosetting moulding materials; thermosetting sheets.

This test method could also be utilized for nanometric filled system, considering the fillers are distributed uniformly in the polymer matrix.

This test method allows dumbbell type specimen, strip type specimen, platens and specimen cut from any finished parts or products.

This test method is useful for quality control, material selection, and screening of new formulations.

NOTE This document does not aim to describe all scientific or technical aspects of microhardness testing on plastics in general.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, Plastics — Standard atmospheres for conditioning and testing

ISO 2602, Statistical interpretation of test results — Estimation of the mean — Confidence interval

ISO 4287, Geometrical Product Specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters

ISO 14577-1, Metallic materials — Instrumented indentation test for hardness and materials parameters — Part 1: Test method

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/