

BSI Standards Publication

Iron ores — Determination of total iron content

Part 4: Potentiometric titration method



National foreword

This Published Document is the UK implementation of ISO/TS 2597-4:2019.

The UK participation in its preparation was entrusted to Technical Committee ISE/58, Iron ores.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019 Published by BSI Standards Limited 2019

ISBN 978 0 580 90406 6

ICS 73.060.10

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2019.

Amendments/corrigenda issued since publication

Date Text affected

PD ISO/TS 2597-4:2019

TECHNICAL SPECIFICATION

ISO/TS 2597-4

First edition 2019-09

Iron ores — **Determination of total iron content** —

Part 4:

Potentiometric titration method

Minerais de fer — Dosage du fer total — Partie 4: Méthode potentiométrique de titration



PD ISO/TS 2597-4:2019 **ISO/TS 2597-4:2019(E)**



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Fax: +41 22 749 09 47 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

Con	Contents				
Forev	word			iv	
1	Scope			1	
2	Normative references			1	
3	Terms and definitions				
4	-	Principle			
5	Reagents			2	
6	Appara	atus		3	
7	Sampling and samples			4	
		Laboratory sample			
	7.2	Prepar	ration of test samples	4	
		7.2.1	General	4	
		7.2.2	Method specified in ISO 7764	4	
		7.2.3	Method specified in ISO 2596	5	
8	Procedure			5	
	8.1 Number of determinations		er of determinations	5	
	8.2	Test portion		5	
			test and check test		
		Determination of hygroscopic moisture content			
	8.5	Determination			
		8.5.1	Decomposition of the test portion	5	
		8.5.2	Reduction		
		8.5.3	Titration		
		8.5.4	Blank test	7	
9	Expression of results			8	
	9.1	Calcula	ation of total iron content	8	
			al treatment of results		
		9.2.1	Repeatability and permissible tolerance		
		9.2.2	Determination of analytical result		
		9.2.3	Between-laboratories precision		
		9.2.4	Check for trueness		
		9.2.5	Garcalation of final result		
		9.2.6	Oxide factors		
10	Test re	port		11	
Anne	-	-	Flowsheet of the procedure for the acceptance of analytical values fo		
Anne		-	e) Volumetric titration cell and structure of instrument as follows		
	•		e) Types of detecting electrode		
			e) Derivation of precision statements		
	=		e) Computer program for end point of titration		
	•		, <u> </u>		

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 102, *Iron ore and direct reduced iron*, Subcommittee SC 2, *Chemical analysis*.

A list of all parts in the ISO 2597 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Iron ores — Determination of total iron content —

Part 4:

Potentiometric titration method

WARNING — This document can involve hazardous materials, operations and equipment. This document does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

1 Scope

This document specifies a potentiometric titration method for the determination of total iron content of iron ores, using potassium dichromate as titrant after reduction of the iron(III) by tin(II) chloride and titanium(III) chloride. The excess reductant is then oxidized by potassium dichromate solution.

This method is applicable to total iron contents between a mass fraction of 29,04 % and a mass fraction of 72,02 % in natural iron ores and iron ore concentrates and agglomerates including sinter products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 648, Laboratory glassware — Single-volume pipettes

ISO 1042, Laboratory glassware — One-mark volumetric flasks

ISO 2596, Iron ores — Determination of hygroscopic moisture in analytical samples — Gravimetric, Karl Fischer and mass-loss methods

ISO 3082, Iron ores — Sampling and sample preparation procedures

ISO 7764, Iron ores — Preparation of predried test samples for chemical analysis

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at https://www.iso.org/obp
- IEC Electropedia: available at http://www.electropedia.org/

4 Principle

For samples containing not more than a mass fraction of 0,1 % of vanadium, copper or manganese, the test portion is treated with hydrochloric acid in the presence of tin chloride and the residue is filtered, ignited and treated with hydrofluoric and sulfuric acids. The mixture is fused with potassium disulfate and the cold melt is dissolved in water and hydrochloric acid and neutralized with ammonia solution. The precipitate is filtered, washed with water, dissolved with hydrochloric acid and combined with