

BS 7121-5:2019



BSI Standards Publication

Code of practice for safe use of cranes

Part 5: Tower cranes

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2019

Published by BSI Standards Limited 2019

ISBN 978 0 539 00983 5

ICS 53.020.20

The following BSI references relate to the work on this document:

Committee reference MHE/3/11

Draft for comment 19/30377513 DC

Amendments/corrigenda issued since publication

Date	Text affected
<hr/>	

Contents

	Page
Foreword	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
Section 1: General management of lifting operations with tower cranes	5
4 Management of installation and lifting operations	5
4.1 Safe system of work	5
4.2 Control of the installation or lifting operation	5
<i>Figure 1 — Flow of information between personnel involved in lifting operations</i>	6
4.3 Duties of the person appointed to control the lifting operation	7
<i>Table 1 — Example load and environmental hazards associated with lifting operations</i>	9
<i>Figure 2 — Relationship between complexity index and lift category</i>	10
<i>Table 2 — Illustration of the categorization of lifts based on environmental and load complexities</i>	11
5 Planning of the lifting operation	13
5.1 General	13
5.2 Risk assessment	15
5.3 Method statements	15
5.4 Team briefing/induction	16
5.5 Selection of cranes	16
5.6 Siting of crane	17
5.7 Contracts	17
6 Selection and duties of personnel other than the appointed person	18
Section 2: Selection of tower cranes	19
7 Selection of tower cranes	19
7.1 General	19
7.2 Remote controls	22
8 Siting of crane	22
8.1 General	22
8.2 Crane standing and support conditions	23
8.3 Out-of-service wind speed	23
<i>Figure 3 — UK out-of-service wind region map for tower cranes</i>	25
8.4 Tower crane foundations	26
8.5 Proximity hazards	29
Section 3: Safety and operational considerations	32
9 Safety	32
9.1 Modifications and materials	32
9.2 Product modifications and updates	32
9.3 Identification of person directing crane movements	32
9.4 Personal protective equipment (PPE) and safety equipment	32
9.5 Work at height	33
9.6 Access and egress (including emergency escape)	34
<i>Figure 4 — Base enclosure</i>	38
<i>Figure 5 — Anti-climb panels</i>	39
<i>Figure 6 — Trapdoor</i>	39
<i>Figure 7 — Trapdoor and base enclosure lock</i>	40
9.7 Fire risk assessment and fire extinguishers	40
9.8 Attachments	41
9.9 Limiting and indicating devices	42

9.10	Machinery guarding	45
9.11	Lightning protection	45
9.12	Base ballast	45
9.13	Counterweight ballast	46
9.14	Travel alarms	46
10	Procedures and precautions	46
10.1	Operator working hours and resources	46
	<i>Table 3 — Minimum number of operators required for continuous single shift operation of tower cranes</i>	46
10.2	Crane operation	46
10.3	Working on cranes	46
10.4	Crane not in regular use	47
10.5	Reporting of defects and incidents	48
10.6	Leaving the crane unattended	48
11	Operating conditions	50
11.1	Rated capacity	50
	<i>Figure 8 — Adverse effect of a swinging load on load radius</i>	51
11.2	Mode of operation and control	52
11.3	Handling of loads near persons	53
11.4	Multi-crane lifting and lowering	53
11.5	Special duties	53
12	Lifting of pre-slung loads	53
12.1	Single-use slings	54
12.2	Lifting pre-slung loads	55
12.3	Load-resistant nets	55
13	Slinging and handling of loads	55
13.1	General	55
13.2	Signalling systems	55
14	In-service and out-of-service wind speeds	56
14.1	In-service wind speed	56
14.2	Consideration of wind speed during planning of lifts	57
15	Crane documentation	58
15.1	Rated capacity charts	58
15.2	Instruction manuals	58
15.3	Reports of thorough examination/test certificates	58
15.4	Maintenance records	58
15.5	Erection/dismantling and transport	58
15.6	Operator's documentation	58
15.7	Medical records	58
15.8	Plans and method statements	58
16	Pre-use checks, maintenance and inspection	58
17	Thorough examination, including testing	59
17.1	General	59
17.2	Age and utilization	59
17.3	Change of ownership of the crane	59
	Section 4: Tower crane erection, dismantling and alteration	60
18	Erection, dismantling and alteration	60
18.1	Planning	60
18.2	Manufacturer's erection and dismantling instructions	64
18.3	Craneage	65

18.4	Components and materials	65
	<i>Figure 9 — Bolt grip length to diameter</i>	67
	<i>Table 4 — Bolt and nut grades and properties</i>	68
	<i>Figure 10 — Marking on initial installation</i>	69
18.5	Electrical supply	71
18.6	Personnel	72
18.7	Briefing of the erection team	72
18.8	Communication	72
18.9	Protection from falls from height	73
18.10	Control	73
18.11	Inspection before erection	73
18.12	Weather conditions	73
18.13	Working area and exclusion zones	74
18.14	Installation and use of self-erecting tower cranes	74
19	Tower crane climbing	75
19.1	General	75
19.2	Structural considerations	76
	<i>Figure 11 — Typical tie</i>	76
19.3	Risk assessment	77
19.4	Method statement	78
19.5	Climbing process	79
19.6	Thorough examination, including testing of the crane after climbing	83
19.7	Maintenance of climbing equipment	84
Annex A	(informative) Types of tower crane and associated machinery	85
	<i>Figure A.1 — Types of tower</i>	85
	<i>Figure A.2 — Types of jib</i>	87
	<i>Figure A.3 — Types of base</i>	90
	<i>Figure A.4 — Rail-mounted tower crane</i>	92
	<i>Figure A.5 — Lorry-mounted tower crane</i>	93
Annex B	(informative) Example evaluation of potential tower crane usage	94
	<i>Figure B.1 — Example evaluation of potential tower crane usage</i>	94
Annex C	(informative) Tower crane classification	95
	<i>Figure C.1 — Variation of service life with intensity of loading for Group 3</i>	95
Annex D	(normative) Emergency plan	96
Annex E	(normative) Rescue from height	100
Annex F	(informative) Tower crane climbing	104
	<i>Figure F.1 — Typical external climbing sequence</i>	105
	<i>Figure F.2 — Typical internal climbing sequence</i>	106
Annex G	(informative) Example of thorough examinations and checks for climbing frame	107
Annex H	(informative) HSE guidance on luffing jib tower cranes	110
Annex I	(normative) Example form showing controls for lifting inside the crane manufacturer's radius	111
	<i>Figure I.1 — Example form for lifting inside the crane manufacturer's radius</i>	111
Annex J	(normative) Maintenance, inspection and thorough examination	112
Annex K	(informative) Hydrogen embrittlement in high-tensile fasteners	112

Annex L	(normative) Recommendations to reduce the probability of failure due to HE	114
	<i>Table L.1 — Comparative testing regime: property grade 10.9/12.9 engineering bolts/ studs</i>	115
	Bibliography	116

Summary of pages

This document comprises a front cover, and inside front cover, pages i to vi, pages 1 to 118, an inside back cover and a back cover.

Foreword

Publishing information

This part of BS 7121 is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 30 September 2019. It was prepared by Subcommittee MHE/3/11, *Crane safety and testing*, under the authority of Technical Committee MHE/3, *Cranes and derricks*. A list of organizations represented on these committees can be obtained on request to their secretary.

Supersession

This part of BS 7121 supersedes BS 7121-5:2006, which is withdrawn.

Relationship with other publications

The Lifting Operations and Lifting Equipment Regulations (LOLER) [1] and the Provision and Use of Work Equipment Regulations (PUWER) [2] came into force on 5 December 1998. Details of the Regulations, an Approved Code of Practice plus HSE guidance can be found in the HSE Approved Codes of Practice *Safe use of lifting equipment* [3] and *Safe use of work equipment* [4].

This part of BS 7121 is intended to be read in conjunction with BS 7121-1, which provides general recommendations for crane types not covered in an additional part of BS 7121. BS 7121-2 covers in-service inspection, thorough examination and, where appropriate, testing for the safe use of all types of crane. Subsequent parts of BS 7121 deal (or will eventually deal) with the specific crane types as follows:

- Part 3: Mobile cranes;
- Part 4: Lorry loaders;
- Part 5: Tower cranes;
- Part 6: Derrick cranes;
- Part 7: Bridge and gantry cranes, including light crane systems;
- Part 8: High pedestal and portal jib dockside cranes;
- Part 9: Container handling cranes;
- Part 10: Rail-mounted cranes;
- Part 11: Offshore cranes;
- Part 12: Recovery vehicles and equipment;
- Part 13: Hydraulic gantry lifting systems;
- Part 14: Side boom pipe layers.

The BS 7121 series has been accepted as representing the consensus of practical experience for safety on cranes.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- alignment with BS 7121-1:2016; and
- addition of recommendations from CPA Technical Information Notes.

It is intended to be used in conjunction with other parts of BS 7121 to ensure, so far as is reasonably practicable, that lifting operations are carried out safely.

This publication can be withdrawn, revised, partially superseded or superseded. Information regarding the status of this publication can be found in the Standards Catalogue on the BSI website at bsigroup.com/standards, or by contacting the Customer Services team.

Where websites and webpages have been cited, they are provided for ease of reference and are correct at the time of publication. The location of a webpage or website, or its contents, cannot be guaranteed.

Use of this document

As a code of practice, this part of BS 7121 takes the form of guidance and recommendations. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading.

Any user claiming compliance with this part of BS 7121 is expected to be able to justify any course of action that deviates from its recommendations.

It has been assumed in the preparation of this British Standard that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is “should”.

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Where words have alternative spellings, the preferred spelling of the Shorter Oxford English Dictionary is used (e.g. “organization” rather than “organisation”).

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

1 Scope

This part of BS 7121 gives recommendations for the safe use of tower cranes, including self-erecting tower cranes other than mobile self-erecting tower cranes (which are covered in BS 7121-3).

NOTE The types of tower crane are set out in [Annex A](#).

Subjects covered include safe systems of work, selection, erection, extension (including climbing), dismantling, maintenance, inspection, thorough examination (including testing), operation, and the planning and management of lifting operations. It also covers the appropriate selection and training of personnel involved in the safe installation and use of tower cranes.

This part of BS 7121 is intended to be read in conjunction with BS 7121-1.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document¹. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 5975:2008+A1:2011, *Code of practice for temporary works procedures and the permissible stress design of falsework*

BS 7121 (all parts), *Code of practice for the safe use of cranes*

BS 7121-1:2016, *Code of practice for safe use of cranes – Part 1: General*

BS 7121-2 (all parts), *Code of practice for the safe use of cranes*

BS 7121-2-1:2012, *Code of practice for the safe use of cranes – Part 2-1: Inspection, maintenance and thorough examination – General*

BS 7121-2-3, *Code of practice for the safe use of cranes – Part 2-3: Inspection, maintenance and thorough examination – Mobile cranes*²

BS 7121-2-5:2012, *Code of practice for the safe use of cranes – Part 2-5: Inspection, maintenance and thorough examination – Tower cranes*

BS 7375, *Distribution of electricity on construction and demolition sites – Code of practice*

BS 7671, *Requirements for Electrical Installations – IET Wiring Regulations*

BS 8454, *Code of practice for the delivery of training and education for work at height and rescue*

BS EN 13586, *Cranes – Access*

BS EN 14399-1, *High-strength structural bolting assemblies for preloading – Part 1: General requirements*

BS EN 15048-1, *Non-preloaded structural bolting assemblies – Part 1: General requirements*

BS EN ISO 148-1, *Metallic materials – Charpy pendulum impact test – Part 1: Test method*

BS EN ISO 898-1:2013, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs with specified property classes – Coarse thread and fine pitch thread*

BS EN ISO 898-2, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 2: Nuts with specified property classes – Coarse thread and fine pitch thread*

¹ Documents that are referred to solely in an informative manner are listed in the Bibliography.

² This standard also gives an informative reference to BS 7121-2-3:2012.