BS 7212:2016



BSI Standards Publication

Code of practice for the safe use of construction hoists



BS 7212:2016 BRITISH STANDARD

Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2016

Published by BSI Standards Limited 2016

ISBN 978 0 580 89552 4

ICS 53.020.99; 91.220

The following BSI references relate to the work on this document: Committee reference MHE/6 Draft for comment 15/30320228 DC

Publication history

First published, December 1989 Second edition, July 2006 Third (present) edition, January 2016

Amendments issued since publication

Date Text affected

BRITISH STANDARD BS 7212:2016

Contents

- 1 Scope 1
- 2 Normative references 1
- 3 Terms and definitions 2
- 4 Hoist types 5
- Hazards associated with the use of hoists 5 5
- 6 Management of the hoist installation 7
- 7 Personnel and training 13
- 8 Selection of hoists and related site considerations 15
- 9 Planning and siting of the hoist installation 20
- 10 Erection, alteration and dismantling and provision of hoistway protection and landings 27
- 11 Hand-over, operation and use, maintenance and in-service inspection of hoists 32
- 12 Thorough examination and testing of hoists 36

Annexes

Annex A (normative) Minimum attributes of personnel 48

Annex B (informative) Hoist types 54

Annex C (normative) Additional requirements for driverless hoists 62

Annex D (informative) Checklist for pre-use checks of rack and pinion hoists and rope driven hoists 65

Annex E (informative) Checklist for weekly inspections of rack and pinion hoists and rope driven hoists 66

Annex F (informative) Examples of checklist and report forms 67

Bibliography 73

List of figures

Figure 1 – Hoistway protection and landings 30

Figure B.1 – Rack and pinion passenger/goods hoist 55

Figure B.2 – Rack and pinion goods hoist 56

Figure B.3 – Transport platform 57

Figure B.4 – Rope driven goods-only hoist 59

Figure B.5 – Inclined goods hoist 60

Figure B.6 – Swivel hoist 61

List of tables

Table 1 – Summary of examinations and testing and documentation 37

Table A.1 – Minimum attributes of personnel 48

Table C.1 – Hazards associated with driverless hoists 62

Table F.1 – Hoist hand-over report 68

Table F.2 - Construction hoist - daily pre-use checklist and report 69

Table F.3 – Construction hoist – weekly inspection checklist and report 70

Table F.4 – Construction hoist – thorough examination and maintenance

checklist 71

Table F.5 – Construction hoist – report of thorough examination 72

Summary of pages

This document comprises a front cover, an inside front cover, pages i to iv, pages 1 to 74, an inside back cover and a back cover.

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 January 2016. It was prepared by Technical Committee MHE/6, *Builder's Hoists*. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This British Standard supersedes BS 7212:2006, which is withdrawn.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- 1) new recommendations with regard to the role of hoist supervisor;
- 2) new recommendations for dealing with temporary works;
- 3) new recommendations for transporting of scaffolding materials in hoists; and
- new recommendations for driverless hoists.

This British Standard was drawn up with the participation of HSE representatives and it will be referred to in the relevant HSE publications.

This British Standard calls for the use of procedures that can be injurious to health if adequate precautions are not taken. It refers only to technical suitability and does not absolve the user from legal obligations relating to health and safety at any stage.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

Particular attention is drawn to the following specific regulations:

- a) Health and Safety at Work etc. Act 1974 [1];
- b) Lifting Operations and Lifting Equipment Regulations 1998 (LOLER) [2];
- c) Provision and Use of Work Equipment Regulations 1998 (PUWER) [3];
- d) Supply of Machinery (Safety) Regulations 2008 (as amended) [4];
- e) Work at Height Regulations 2005 (as amended) [5];
- f) Construction Design and Management Regulations 2015 [6].

BRITISH STANDARD BS 7212:2016

> Details of the Lifting Operations and Lifting Equipment Regulations 1998 [2] and the Provision and Use of Work Equipment Regulations 1998 [3], together with an HSE Approved Code of Practice and HSE Guidance, are given in HSE publications Safe use of lifting equipment [7] and Safe use of work equipment

BS 7212:2016 **BRITISH STANDARD**

1 Scope

This British Standard gives recommendations for the installation, maintenance, examination and operation of construction hoists, including hoistway protection, and on the management of these activities. It provides recommendations for the selection, planning, siting, erection, alteration and dismantling of hoists. It also sets out the responsibilities of the various parties involved in all these activities.

This British Standard is applicable to temporarily installed, powered construction hoists, having a carrier, the movement of which is restricted or guided by one or more masts.

NOTE Such hoists are used to transfer persons and/or goods between defined landing levels on sites of engineering and construction. They are not intended for use as temporary working places giving variable height access to specific areas.

This British Standard is not applicable to:

- a) rope driven passenger/goods hoists;
- b) hoists with platforms without sides providing protection conforming to BS EN 12158-1;
- c) inclined and vertical furniture hoists;
- d) concrete skip hoists;
- e) permanently installed lifts and hoists;
- f) mast climbing work platforms;
- g) mobile elevating work platforms;
- h) gin wheels;
- i) chain hoists and unquided wire rope hoists/winches;
- j) runway beams;
- k) suspended cradles;
- I) building maintenance units;
- m) wind turbine and tower crane access lifts;
- n) belt and chain conveyors;
- o) capstan winches;
- p) hoists powered by direct drive internal combustion engines;
- q) formwork hoist and climbing support system.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

BS 5975:2008+A1:2011, Code of practice for temporary works procedures and the permissible stress design of falsework

BS 7671, Requirements for electrical installations – IET Wiring Regulations 17th edition

BS EN 12158-1, Builders' hoists for goods – Part 1: Hoists with accessible platforms

BS EN 12158-2, Builders' hoists for goods – Part 2: Inclined hoists with non-accessible load carrying devices