

BSI Standards Publication

Design, manufacture and installation of architectural precast concrete — Code of practice



Publishing and copyright information

The BSI copyright notice displayed in this document indicates when the document was last issued.

© The British Standards Institution 2017

Published by BSI Standards Limited 2017

ISBN 978 0 580 94556 4

ICS 91.060.10

The following BSI references relate to the work on this document: Committee reference $B/524\,$

Draft for comment 17/30342957 DC

Amendments/corrigenda issued since publication

Date Text affected

Contents		Page
	Foreword	iii
	Introduction	1
1	Scope	2
2	Normative references	2
3	Terms and definitions	5
4	Materials and components	7
4.1	Customer requirements	7
4.2	Specifications for materials and components	8
4.3	Steel	9
	Table 1 — Recommended grades of austenitic or Duplex (Austenitic/ferritic) stainless steel used	
	for fixings	9
	Table 2 — Recommended grades of fasteners	10
4.4	Materials for jointing and pointing	11
4.5	Flashings, weatherings and cavity trays	11
4.6	Coating agents	11
5	Design of cladding units	12
5.1	General	12
5.2	Structural design	12
5.3	Thickness of concrete cover to reinforcement	13
5.4	Fire-resisting wall units	14
5.5	Support conditions and bending moments	14
2.3	Figure 1 — Assumptions for design of units and corbels/brackets	16
5.6	Sizes of units including thickness	17
5.7	Movement and tolerances	17
5.8	Dimensional stability	18
5.9	Accommodation of dimensional changes	18
	Table 3 — Coefficients of thermal expansion of buildings materials	19
	Table 4 — Extreme temperatures of UK structures	19
	Table 5 — Rate of shrinkage of concrete (as a percentage of its potential)	21
5.10	Other factors affecting design	21
5.11	Passive fire protection to resist the spread of fire	23
5.12	Signs and attachments to cladding units	23
5.13	Thermal insulation	24
5.14	Acoustic properties	24
6	Position and detail of joints	24
6.1	General	24
6.2	Movement joints	25
6.3	Compression joints	25
6.4	Sealed joints	25
6.5	Open drained joints	26
	Figure 2 — Examples of jointing details	27
	Figure 3 — Open drained joint with plain baffle	28
6.6	Impregnated foam sealing strips and sealing strips	28
7	Support and attachment of units to the structure	29
7.1	Support	29
7.2	Methods of attachment	29
7.3	Design of fixings	29
	Figure 4 — Typical restraint fixing to concrete structure — vertical section	30

	Bibliography	54
Α	(normative) Checklists for the exchange of information	51
3.6	Coating agents	49
3.5	Surface cleaning	49
3.4	Joint seals	49
3.3	Joints	49
3.2	Cracks and crazing	48
3.1	General	48
13	Inspection and maintenance	48
2.2	Test requirements	47
2.1	Test procedures	45
12	Performance testing of cladding units	45
9	Cleaning on completion of work	44
8	Site repairs	44
7	Protection of finished work	43
6	Final fixing	43
5	Accuracy of erection	42
.4	Bedding, jointing and sealing	42
3	Erection of cladding units	40
.2	Storage of materials on site	40
.1	General	39
11	On-site erection and fixing	39
).5	Transportation of units to the site	39
).4	Storage	39
).3	Protection against damage	39
).2	Design of lifting points	38
).1	Handling	38
10	Handling and transportation of cladding units	38
9.5	Marking	38
9.4	Removal of cast concrete units from moulds	38
	Table 6 — Permissible deviations in the manufacture of cladding units	37
9.3	Tolerances and accuracy	37
9.2	Casting, curing and inspection	37
9.1	General	37
9	Manufacture	37
3.6	Finishes sample and inspections	36
3.5	Tile and brick slip faced units	36
3.4	Brick-faced units	35
3.3	Reconstructed stone faced units	35
	Figure 6 — Typical details of fixing pins for stone faced concrete units	35
3.2	Stone-faced units	34
3.1	Precast concrete	33
8	Surface finish of cladding units	33
	Figure 5 — Typical restrain fixing to steel structure — plan	30

Summary of pages

This document comprises a front cover, and inside front cover, pages i to iv, pages 1 to 55, an inside back cover and a back cover.

BRITISH STANDARD BS 8297:2017

Foreword

Publishing information

This British Standard is published by BSI Standards Limited, under licence from The British Standards Institution, and came into effect on 31 October 2017. It was prepared by Technical Committee B/524, Precast concrete products. A list of organizations represented on this committee can be obtained on request to its secretary.

Supersession

This British Standard supersedes BS 8297:2000, which is withdrawn.

Information about this document

This is a full revision of the standard, and introduces the following principal changes:

- clarification of scope;
- updated terms and definitions;
- dimensions for certain components;
- describes the provisions necessary for the cladding to perform its function satisfactorily; and
- gives the minium standards required of materials and methods to be employed.

Presentational conventions

The provisions of this standard are presented in roman (i.e. upright) type. Its recommendations are expressed in sentences in which the principal auxiliary verb is "should".

Commentary, explanation and general informative material is presented in smaller italic type, and does not constitute a normative element.

The word "should" is used to express recommendations of this standard. The word "may" is used in the text to express permissibility, e.g. as an alternative to the primary recommendation of the clause. The word "can" is used to express possibility, e.g. a consequence of an action or an event.

Notes and commentaries are provided throughout the text of this standard. Notes give references and additional information that are important but do not form part of the recommendations. Commentaries give background information.

Contractual and legal considerations

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

Compliance with a British Standard cannot confer immunity from legal obligations.

BRITISH STANDARD BS 8297:2017

Introduction

This British Standard has been developed to give recommendations and good practice for specifiers and manufacturers during the design, manufacture, transport and installation of architectural precast concrete units.

Framed structures are often enclosed by precast concrete panels. These in turn frequently serve an architectural role in providing the external appearance of the building. In such instances, the panels are generically referred to as cladding. As well as providing the external envelope of a building, similar precast concrete units might also be used for other purposes, such as decorative columns, either loadbearing or not, balconies, and other substantial elements. Where units provide the weathertight external envelope of a building, water and airtightness is ensured by appropriate design and treatment of the joints between the units.

Units are required to carry their own weight and also any directly or indirectly imposed loadings. Units are also required to resist wind loading, provide weather protection, acoustic and thermal performance. They might also need to provide fire resistance and be resistant to accidental damage, e.g. vehicle impact and internal or external explosion. Their construction needs to allow for the dimensional tolerances of construction and movement of the building structure during its designed lifetime. Where units are loadbearing, they need to be able to transmit loads as part of the structure. Strength, durability and versatility are the inherent characteristics of precast concrete. This type of precast concrete is almost inevitably bespoke, by virtue of its shape and size, colour and texture, finishes or facings, to achieve the specified aesthetic requirements of individual building projects. The manufacturing process is non-repetitive and might not lend itself to automation. The weight and size of units can also be critical. Involving the manufacturer at the design stage can therefore often lead to more efficient production and optimization of the fixing system.

1 Scope

This British Standard gives recommendations and guidance for the design, manufacture, transport and installation of architectural precast concrete units in the form of:

- units supported by and fixed to a structural frame or wall to perform a cladding role;
 NOTE These might be part of the external envelope or separate elements, such as columns and balconies.
- b) units which may neither be associated with, or form part of, a building;
- c) units used as permanent formwork in part or in whole, but limited to architectural elements; and
- d) the architectural function of a sandwich panel (see 3.7.3).

It includes recommendations on the measures which are to be taken to provide for permanent and temporary movements and tolerances of the structure, to enable the cladding to perform its function satisfactorily. It gives the minimum standards needed and the materials and methods of fixings most frequently used. It applies to new buildings but many provisions might be applicable to alterations or refurbishment of existing buildings.

Guidance is given on the quality of the finished product and verification of performance. The design recommendations given in this British Standard are based on limit state design principles.

This British Standard is intended to be used in conjunction with BS EN 13369:2013 and BS EN 13670, but provides comprehensive guidance specifically in relation to architectural precast concrete cladding and therefore takes precedence in the items addressed.

This British Standard does not provide recommendations relevant to units incorporating glass fibre reinforced concrete (GFRC/GRC), semi-dry or small wet-cast masonry units instead of larger architectural wall cladding panels (see BS 1217), nor the design of the supporting structure to which the units might be attached.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes provisions of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Standards publications

BS 1881-208, Testing concrete — Recommendations for the determination of the initial surface absorption of concrete

BS 4449, Steel for the reinforcement of concrete — Weldable reinforcing steel — Bar, coil and decoiled product — Specification

BS 4482, Steel wire for the reinforcement of concrete products — Specification

BS 4483, Steel fabric for the reinforcement of concrete — Specification

BS 5606, Guide to accuracy in building

BS 6093, Design of joints and jointing in building construction — Guide

BS 6100-9, Building and civil engineering — Vocabulary — Work with concrete and plaster

BS 6180, Barriers in and about buildings – Code of practice