PD CEN ISO/TR 17801:2017



BSI Standards Publication

Plastics — Standard table for reference global solar spectral irradiance at sea level — Horizontal, relative air mass 1 (ISO/TR 17801:2014)



National foreword

This Published Document is the UK implementation of CEN ISO/TR 17801:2017. It is identical to ISO/TR 17801:2014. It supersedes PD ISO/TR 17801:2014 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/21, Testing of plastics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017. Published by BSI Standards Limited 2017

ISBN 978 0 580 96064 2

ICS 83.080.01

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2014.

Amendments/corrigenda issued since publication

Date	Text affected
31 March 2017	This corrigendum renumbers PD ISO/TR 17801:2014
	as PD CEN ISO/TR 17801:2017

CEN ISO/TR 17801 TECHNICAL REPORT

RAPPORT TECHNIQUE

TECHNISCHER BERICHT

March 2017

ICS 83.080.01

English Version

Plastics - Standard table for reference global solar spectral irradiance at sea level - Horizontal, relative air mass 1 (ISO/TR 17801:2014)

Plastiques - Table de référence pour l'irradiance solaire spectrale totale au niveau de la mer -Horizontale, masse d'air relative 1 (ISO/TR 17801:2014)

This Technical Report was approved by CEN on 3 March 2017. It has been drawn up by the Technical Committee CEN/TC 249.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of ISO/TR 17801:2014 has been prepared by Technical Committee ISO/TC 61 "Plastics" of the International Organization for Standardization (ISO) and has been taken over as CEN ISO/TR 17801:2017 by Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of ISO/TR 17801:2014 has been approved by CEN as CEN ISO/TR 17801:2017 without any modification.

Con	tents	Page
Forev	vord	iv
Intro	duction	V
1	Scope	1
2	References	1
3	Terms and definitions	1
4	Reference global solar spectral irradiance at sea level	2
Anne	x A (informative) Input file to generate the reference spectrum	14
Riblia	Rihliogranhy	

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 61, *Plastics*, Subcommittee SC 6, *Ageing, chemical and environmental resistance*.

Introduction

The effect of solar radiation on surface of the earth (global radiation) is the most important primary weathering factor. The photons absorbed by the molecules during radiation exposure are often sufficient to split chemical bonds, start photochemical reactions and cause an electron transfer [1]. The spectral irradiance of the solar radiation is variable locally and in time. A reference spectrum is therefore required as a basis for the simulation of the spectral irradiance of solar radiation with artificial radiation sources/radiation systems. Data of the CIE (Commission Internationale de L'Éclairage) Publication (No. 85, 1989) have been used as a basis for years. Table 4 specifies the spectral irradiance of global radiation (direct and diffuse radiation) for a cloudless sky, zenith position of the sun by day and night comparisons at the equator at sea level. But in CIE 85, the data of the global solar irradiance only begins at 305 nm, the step width is very rough and the calculation code got unexplainably lost. Therefore, there have been efforts to revise CIE No. 85 for many years. The new Table 1 gives modelled data (using the SMARTS model version 2.9.2) generated using an air mass zero (AMO) spectrum based on extraterrestrial spectrum of Gueymard [2][3].

Plastics — Standard table for reference global solar spectral irradiance at sea level — Horizontal, relative air mass 1

1 Scope

This Technical Report provides a reference spectrum to the field of weathering degradation (see <u>Table 1</u>) in order to classify solar simulators in the UV, visible and infrared wavelength range.

The photochemical ageing which occurs in practice is simulated with time compression in laboratory weathering instruments by sequencing maximum stress climate episodes. To give a spectral irradiance target, the table specifies the spectral irradiance of global radiation (direct and diffuse radiation) with a cloudless sky, zenith position of the sun by day and night comparisons at the equator at sea level as defined in Table 4 of CIE No. 85 .This is a realistic maximum exposure under representative clear sky conditions.

The data contained in <u>Table 1</u>, <u>Figure 2</u>, and <u>Figure 3</u> were generated using the SMARTS2 Version 2.9.2[2] [3] to recalculate the CIE No. 85, Table 4.

<u>Table 2</u> contains the original data from CIE No. 85, Table 4. The numbers are shown in <u>Figure 2</u> and <u>Figure 3</u> as well.

2 References

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

CIE No. 85, Technical Report; Solar Spectral Irradiance; 1989

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

global solar irradiance

solar radiant flux, both direct and diffuse, received on a horizontal plane unit area from a solid angle of 2π steradians

Note 1 to entry: It is measured in watts per square metre ($W \cdot m^{-2}$).

3.2

spectral irradiance

Ελ

radiant flux per unit area per wavelength interval

Note 1 to entry: It is measured in watts per square metre per nanometre (W·m⁻²·nm⁻¹).