



BSI Standards Publication

Water quality – Technical report for the management of diatom barcodes

National foreword

This Published Document is the UK implementation of CEN/TR 17244:2018.

The UK participation in its preparation was entrusted to Technical Committee EH/3, Water quality.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018
Published by BSI Standards Limited 2018

ISBN 978 0 580 52467 7

ICS 13.060.70

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

English Version

Water quality - Technical report for the management of diatom barcodes

Qualité de l'eau - Rapport technique relatif
à la gestion des codes barres Diatomées
pour l'évaluation du statut écologique

Wasserbeschaffenheit - Technischer Bericht zur
Erstellung und Verwaltung von Diatomeen Barcodes

This Technical Report was approved by CEN on 14 May 2018. It has been drawn up by the Technical Committee CEN/TC 230.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	iii
Introduction	iv
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Procedure	6
4.1 DNA Harvesting	6
4.2 Storage of barcode	6
4.3 Storage of voucher specimens	6
5 Associated metadata	7
5.1 Metadata — general remarks	7
5.2 Categories of metadata	7
5.2.1 DNA Marker	7
5.2.2 Culture Details	8
5.2.3 Taxon information	8
5.2.4 Identification	8
5.2.5 Sampling	9
5.2.6 Voucher	9
Bibliography	10

European foreword

This document (CEN/TR 17244:2018) has been prepared by Technical Committee CEN/TC 230 “Water analysis”, the secretariat of which is held by DIN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

Introduction

WARNING — Persons using this technical report should be familiar with normal laboratory practice. This European technical report does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate health and safety practices and to ensure compliance with any national regulatory conditions.

Diatoms are unicellular microalgae present in all types of water bodies. They are an important component of aquatic ecosystems and have been used widely for ecological assessment required by the Water Framework Directive (2000/60/EC) and Urban Waste Water Treatment Directive (91/271/EEC) in addition to other EU Directives and international agreements. The use of diatoms as indicators of water quality is based on observations that diatom taxa have distinct preferences for particular environmental conditions such as nutrients, organic pollution and acidity. Polluted waters will tend to support higher proportions of those taxa whose optima correspond with the levels of the pollutant in question. Conversely, certain species are intolerant of elevated levels of one or more pollutants, whilst others may occur in a wide range of water qualities.

Methods using diatoms to assess water quality and ecological status based on optical microscopy have been developed in several European countries. Methods for sampling and preparation are similar [4], [8] leading to the development of European Standards which, in turn, facilitated the harmonization of ecological assessment approaches [5], [6], [1]. More recently, however, molecular biology has presented new opportunities for assessment of ecological status using diatoms (e.g. [7], [10]). Such procedures, however, are not covered by existing standards.

A database of validated barcodes is an essential foundation of any assessment system that uses molecular data to determine the identities of organisms. This technical report covers the steps that should be taken if a barcode is to be correctly assigned to the appropriate taxon in a manner that can be readily checked and authenticated by other users. These instructions will enable method developers to ensure that they have provided all of the metadata necessary to validate the identity of a barcode and, if followed, will ensure that reliable identifications can be made from environmental samples.

According to the precise usage to which this technical report is to be put it is essential for specifiers and users to mutually agree on any necessary variations or optional procedural details prior to use.

All numerical values given in this technical report are approximate.

1 Scope

This technical report specifies the data and metadata necessary to validate the identity of a diatom barcode used for ecological assessment along with recommendations for storage of the barcode and metadata to ensure access to this information.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

barcode

stretch of a DNA sequence at least 100 base pairs in length that uniquely identifies a specific taxon

3.2

base pair

pair of complementary cross-linked nucleotides that is the building block of the DNA double helix

3.3

cultivator

conservator Person responsible of the cultivation of the diatom strain

3.4

diatoms

group of unicellular algae, some of which form chains or colonies, with cell walls made of silica. They are major contributors to primary productivity worldwide and are often used in ecological assessment

3.5

DNA marker

name of the coding or non-coding region (e.g. gene, spacer region) within the genome from which the barcode has been amplified. The naming of the coding or non-coding regions should follow standard scientific practice

3.6

ecological status

measure of the structure and functioning of aquatic communities

3.7

frustule

cell wall of diatoms, composed of silica and consisting of two valves linked by two or more girdle bands

3.8

habitat

specific environment in which an organism lives

3.9

isolate

population or populations of diatom cells in axenic or unialgal culture, derived from a single cell