



BSI Standards Publication

Explosive atmospheres

Part 32-1: Electrostatic hazards, guidance

National foreword

This Published Document is the UK implementation of CLC/TR 60079-32-1:2018. It is identical to IEC TS 60079-32-1:2013, incorporating amendment 1:2017. It supersedes PD CLC/TR 60079-32-1:2015, which is withdrawn.

The start and finish of text introduced or altered by amendment is indicated in the text by tags. Tags indicating changes to IEC text carry the number of the IEC amendment. For example, text altered by IEC amendment A1 is indicated by **A1** **A1**.

The UK participation in its preparation was entrusted to Technical Committee EXL/31/-/1, Electrostatic spray guns.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 88005 6

ICS 29.020; 13.230; 29.260.20; 13.260

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2019.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CLC/TR 60079-32-1

December 2018

ICS 29.260.20

Supersedes CLC/TR 60079-32-1:2015

English Version

**Explosive atmospheres - Part 32-1: Electrostatic hazards,
guidance
(IEC/TS 60079-32-1:2013, IEC/TS 60079-32-1:2013/A1:2017)**

Atmosphères explosives - Partie 32-1: Risques
électrostatiques - Guide
(IEC/TS 60079-32-1:2013, IEC/TS 60079-32-
1:2013/A1:2017)

Explosionsgefährdete Bereiche - Teil 32-1: Elektrostatische
Gefährdungen, Leitfaden
(IEC/TS 60079-32-1:2013, IEC/TS 60079-32-
1:2013/A1:2017)

This Technical Report was approved by CENELEC on 2018-10-22.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

European foreword

This document (CLC/TR 60079-32-1:2018) consists of the text of IEC/TS 60079-32-1:2013 and IEC/TS 60079-32-1:2013/A1:2017 prepared by IEC/TC 31 "Equipment for explosive atmospheres".

This document supersedes CLC/TR 60079-32-1:2015.

The technical specification IEC/TS 60079-32-1 is written as a general guidance document for products in general and process properties necessary to avoid ignition hazards arising from static electricity in a hazardous area.

The IEC standard IEC 60079-0 specifies the general requirements, including the requirements to avoid electrostatic charging, for construction, testing and marking of Ex equipment and Ex Components intended for use in explosive atmospheres.

In some cases, the requirements given in IEC 60079-0 are different from the information given in IEC/TS 60079-32-1.

It was decided to have all information also given complete in the guidance document and therefore the new Clause 14 was added to the IEC/TS 60079-32-1 summarizing the requirements given in IEC 60079-0 for Ex equipment and Ex-Components as additional information.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The texts of the International Technical Specifications IEC/TS 60079-32-1:2013 and IEC/TS 60079-32-1:2013/A1:2017 were approved by CENELEC as a Technical Report without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60243-1	NOTE	Harmonized as EN 60243-1.
IEC 60243-2	NOTE	Harmonized as EN 60243-2.
IEC 60247	NOTE	Harmonized as EN 60247.
IEC 61340-2-1	NOTE	Harmonized as EN 61340-2-1.
IEC 61340-4-5	NOTE	Harmonized as EN 61340-4-5.
IEC 61340-4-7	NOTE	Harmonized as EN 61340-4-7.
ISO 8028	NOTE	Harmonized as EN ISO 8028.
ISO 8330	NOTE	Harmonized as EN ISO 8330.
ISO 13688	NOTE	Harmonized as EN ISO 13688.
ISO 20344	NOTE	Harmonized as EN ISO 20344.
ISO 20345	NOTE	Harmonized as EN ISO 20345.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-0	2011	Explosive atmospheres - Part 0: Equipment - General requirements	EN 60079-0	2012
IEC 60079-10-1	-	Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10-1	-
IEC 60079-10-2	-	Explosive atmospheres - Part 10-2: Classification of areas - Combustible dust atmospheres	EN 60079-10-2	-
IEC 60079-14	-	Explosive atmospheres - Part 14: Electrical installations design, selection and erection	EN 60079-14	-
IEC 60079-20-1	-	Explosive atmospheres - Part 20-1: Material characteristics for gas and vapour classification - Test methods and data	EN 60079-20-1	-
IEC 60079-32-2	2015	Explosive atmospheres - Part 32-1: Electrostatics hazards - Tests	EN 60079-32-2	2015
IEC 60093	-	Methods of test for volume resistivity and surface resistivity of solid electrical insulating materials	HD 429 S1	-
IEC 60167	-	Methods of test for the determination of the insulation resistance of solid insulating materials	HD 568 S1	-
IEC 61340-2-3	-	Electrostatics - Part 2-3: Methods of test for determining the resistance and resistivity of solid planar materials used to avoid electrostatic charge accumulation	EN 61340-2-3	-
IEC 61340-4-1	-	Electrostatics - Part 4-1: Standard test methods for specific applications - Electrical resistance of floor coverings and installed floors	EN 61340-4-1	-
IEC 61340-4-3	-	Electrostatics - Part 4-3: Standard test methods for specific applications - Footwear	EN 61340-4-3	-
IEC 61340-4-4	2012	Electrostatics - Part 4-4: Standard test methods for specific applications - Electrostatic classification of flexible intermediate bulk containers (FIBC)	EN 61340-4-4	2012

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
ISO 284	-	Conveyor belts - Electrical conductivity - Specification and test method	EN ISO 284	-
ISO 6297	-	Petroleum products - Aviation and distillate fuels - Determination of electrical conductivity	-	-
ISO 8031	-	Rubber and plastics hoses and hose assemblies - Determination of electrical resistance and conductivity	EN ISO 8031	-
ISO 9563	-	Belt drives - Electrical conductivity of antistatic endless synchronous belts - Characteristics and test method	-	-
ISO 12100-1	-	Safety of machinery - Basic concepts, general principles for design - Part 1: Basic terminology, methodology	EN ISO 12100-1	-
ISO 16392	-	Tyres - Electrical resistance - Test method for measuring electrical resistance of tyres on a test rig	-	-
ISO 21178	-	Light conveyor belts - Determination of electrical resistances	EN ISO 21178	-
ISO 21179	-	Light conveyor belts - Determination of the electrostatic field generated by a running light conveyor belt	EN ISO 21179	-
ISO 21183-1	-	Light conveyor belts - Part 1: Principal characteristics and applications	EN ISO 21183-1	-
ASTM D257	-	Standard Test Methods for DC Resistance or Conductance of Insulating Materials	-	-
ASTM D2624-07a	-	Standard Test Methods for Electrical Conductivity of Aviation and Distillate Fuels	-	-
ASTM D4308-95	-	Standard Test Method for Electrical Conductivity of Liquid Hydrocarbons by Precision Meter	-	-
ASTM E582-88	-	Standard test method for minimum ignition energy and quenching distance in gaseous mixtures	-	-
ASTM E2019-03	-	Standard test method for minimum ignition energy of a dust cloud in air	-	-
ASTM F150	-	Standard Test Method for Electrical Resistance of Conductive and Static Dissipative Resilient Flooring	-	-
ASTM F1971	-	Standard Test Method for Electrical Resistance of Tires Under Load On the Test Bench	-	-
BS 5958-1	-	Code of practice for control of undesirable static electricity - Part 1: General considerations	-	-
BS 5958-2	-	Code of practice for control of undesirable static electricity - Part 2: Recommendations for particular industrial situations	-	-
BS 7506-2	-	Methods for measurements in electrostatics -- Part 2 Test methods	-	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
DIN 51412-1	-	Testing of petroleum products; determination - of the electrical conductivity - Part 1: laboratory method		-
DIN 51412-2	-	Testing of petroleum products; determination - of the electrical conductivity - Part 2: field method		-
-	-	Resilient floor coverings - Determination of the electrical resistance	EN 1081	-
-	-	Protective clothing - Electrostatic properties - Part 3: Test methods for measurement of charge decay	EN 1149-3	-
-	-	Protective clothing - Electrostatic properties - Part 5: Material performance and design requirements	EN 1149-5	-
-	-	Rubber and plastic hoses and hose assemblies for measured fuel dispensing systems - Specification	EN 1360	-
-	-	Rubber hoses and hose assemblies for aviation fuel handling - Specification	EN 1361	-
-	-	Non-electrical equipment for use in potentially explosive atmospheres - Part 1: Basic method and requirements	EN 13463-1	-
-	-	Thermoplastic and flexible metal pipework for underground installation at petrol filling stations	EN 14125	-
-	-	Conveyor belts for use in underground installations - Electrical and flammability safety requirements	EN 14973	-
ISGOTT	2006	International Safety Guide for Oil Tankers and Terminals (ISGOTT), fifth edition, International chamber of shipping, 2006	-	-
JNIOOSH TR 42		Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry	-	-
NFPA 77	-	Recommended practice on static electricity	-	-
SAE J1645	-	Surface vehicle recommended practice - Fuel systems and Components - Electrostatic Charge Mitigation	-	-

CONTENTS

FOREWORD	14
INTRODUCTION	16
1 Scope	17
2 Normative references	17
3 Terms and definitions	20
4 Nomenclature	23
5 General	24
6 Static electricity in solid materials	25
6.1 General considerations	25
6.2 The use of conductive or dissipative materials in place of insulating ones	27
6.2.1 General considerations	27
6.2.2 Dissipative solid materials	27
6.2.3 Earthing of conductive and dissipative items	28
6.3 Precautions required when using insulating solid materials	29
6.3.1 General	29
6.3.2 Restrictions on the size of chargeable insulating surfaces	30
6.3.3 Earthed metal meshes	31
6.3.4 Insulating coatings on earthed conductive surfaces	31
6.3.5 Conductive or dissipative coatings on insulating materials	32
6.3.6 Static dissipative agents	33
6.3.7 Humidification	33
6.3.8 Ionisation / Charge Neutralisation	33
6.3.9 Methods to determine the incendivity of discharges	34
6.4 Conveyor belts and transmission belts	35
6.4.1 General	35
6.4.2 Conveyor belts	35
6.4.3 Transmission belts	36
7 Static electricity in liquids	37
7.1 General considerations	37
7.1.1 Occurrence of flammable atmospheres	37
7.1.2 Ignition sensitivity and limitations to the scope of advice	38
7.1.3 Charging mechanisms	39
7.1.4 Charge accumulation and conductivity classifications	39
7.1.5 Incendive discharges produced during liquid handling operations	40
7.2 Summary of precautions against ignition hazards during liquid handling operations	41
7.2.1 Earthing and avoidance of isolated conductors	41
7.2.2 Restricting charge generation	41
7.2.3 Avoidance of a flammable atmosphere	42
7.2.4 Promoting charge dissipation	42
7.3 Tanks and Containers	42
7.3.1 General	42
7.3.2 Conductive tanks and containers	43
7.3.3 Tanks and containers made entirely of dissipative material	56

	7.3.4	Tanks and containers with insulating surfaces	56
	7.3.5	Use of liners in containers	60
7.4		High viscosity liquids.....	61
7.5		High charging equipment	61
	7.5.1	Filters, water separators and strainers	61
	7.5.2	Pumps and other equipment	62
7.6		Gauging and sampling in tanks	63
	7.6.1	General	63
	7.6.2	Precautions during gauging and sampling.....	63
7.7		Pipes and hose assemblies for liquids.....	64
	7.7.1	General	64
	7.7.2	Pipes	64
	7.7.3	Hoses and hose assemblies	67
7.8		Special filling procedures	73
	7.8.1	Aircraft fuelling	73
	7.8.2	Road tanker deliveries	74
	7.8.3	Retail filling stations	75
	7.8.4	Mobile or temporary liquid handling equipment	79
7.9		Plant processes (blending, stirring, mixing, crystallisation and stirred reactors).....	79
	7.9.1	General	79
	7.9.2	Earthing.....	79
	7.9.3	In-line blending	79
	7.9.4	Blending in vessels or tanks	80
	7.9.5	Jet mixing	80
	7.9.6	High speed mixing	81
7.10		Spraying liquids and tank cleaning	81
	7.10.1	General	81
	7.10.2	Tank cleaning with low or medium pressure water jets (up to about 12 bar).....	81
	7.10.3	Tank cleaning with low conductivity liquids	82
	7.10.4	Tank cleaning with high pressure water or solvent jets (above 12 bar).....	82
	7.10.5	Steam cleaning tanks	82
	7.10.6	Water deluge systems	83
7.11		Glass systems	83
	7.11.1	General	83
	7.11.2	Precautions to be taken for low conductivity liquids	83
8		Static electricity in gases	84
	8.1	General.....	84
	8.2	Grit blasting	84
	8.3	Fire extinguishers	85
	8.4	Inerting	85
	8.5	Steam cleaning	85
	8.6	Accidental leakage of compressed gas	85
	8.7	Spraying of flammable paints and powders	86
	8.7.1	General	86
	8.7.2	Earthing.....	86
	8.7.3	Plastic spray cabinets	86

8.8	Vacuum cleaners, fixed and mobile	86
8.8.1	General	86
8.8.2	Fixed systems	86
8.8.3	Portable systems	87
8.8.4	Vacuum trucks	87
9	Static electricity in powders	87
9.1	General	87
9.2	Discharges, occurrence and incendivity	88
9.3	Procedural measures	89
9.3.1	General	89
9.3.2	Humidification	89
9.3.3	Hoses for pneumatic transfer	89
9.3.4	Ionisation	89
9.4	Bulk materials in the absence of flammable gases and vapours	90
9.4.1	General	90
9.4.2	Equipment and objects made of conductive or dissipative materials	90
9.4.3	Equipment and objects made of insulating materials	90
9.4.4	Dust separators	91
9.4.5	Silos and Containers	91
9.5	Additional requirements for bulk material in the presence of flammable gases and vapours	97
9.5.1	General	97
9.5.2	Measures for resistivity greater equal 100 MΩ m	97
9.5.3	Measures for resistivity less than 100 MΩ m	97
9.5.4	Filling of bulk material into a container	98
9.6	Flexible intermediate bulk containers (FIBC)	99
9.6.1	General	99
9.6.2	Additional precautions when using FIBC	101
10	Static electricity when handling explosives and electro-explosive devices	102
10.1	Explosives manufacture, handling and storage	102
10.1.1	General	102
10.1.2	First degree protection	102
10.1.3	Intermediate protection	102
10.1.4	Second degree protection	102
10.2	Handling of electro-explosive devices	103
10.2.1	General	103
10.2.2	Earthing	103
10.2.3	Precautions during storage and issue	104
10.2.4	Precautions during preparation for use	104
11	Static electricity on people	104
11.1	General considerations	104
11.2	Static dissipative floors	105
11.3	Dissipative and conductive footwear	105
11.4	Supplementary devices for earthing of people	106
11.5	Clothing	106
11.6	Gloves	106
11.7	Other Items	106
12	Electrostatic shock	106

12.1	Introduction.....	108
12.2	Discharges relevant to electrostatic shocks.....	109
12.3	Sources of electrostatic shock.....	109
12.4	Precautions to avoid electrostatic shocks.....	110
12.4.1	Sources of electrostatic shocks.....	110
12.4.2	Reported shocks from equipment or processes.....	110
12.4.3	Shocks as a result of people being charged.....	110
12.5	Precautions in special cases.....	111
12.5.1	Pneumatic conveying.....	111
12.5.2	Vacuum cleaners.....	111
12.5.3	Reels of charged film or sheet.....	111
12.5.4	Fire extinguishers.....	112
13	Earthing and bonding.....	112
13.1	General.....	112
13.2	Criteria for the dissipation of static electricity from a conductor.....	113
13.2.1	Basic considerations.....	113
13.2.2	Practical criteria.....	113
13.3	Earthing requirements in practical systems.....	115
13.3.1	All-metal systems.....	115
13.3.2	Metal plant with insulating parts.....	116
13.3.3	Insulating materials.....	117
13.3.4	Conductive and dissipative materials.....	118
13.3.5	Earthing via intrinsic safety circuits.....	118
13.3.6	Earthing of ships.....	118
13.4	The establishment and monitoring of earthing systems.....	118
13.4.1	Design.....	118
13.4.2	Monitoring.....	119
14	Special requirements for equipment according to IEC 60079-0.....	120
14.1	General.....	120
14.2	Electrostatic charges on external non-metallic materials.....	120
14.2.1	Applicability.....	120
14.2.2	Avoidance of a build-up of electrostatic charge on Group I or Group II electrical equipment.....	120
14.2.3	Avoidance of a build-up of electrostatic charge on equipment for Group III.....	123
14.3	Electrostatic charges on external conductive parts.....	123
Annex A (informative)	Fundamentals of static electricity.....	120
A.1	Electrostatic charging.....	120
A.1.1	Introduction.....	120
A.1.2	Contact charging.....	120
A.1.3	Contact charging of liquids.....	120
A.1.4	Charge generation on liquids flowing in pipes.....	121
A.1.5	Charge generation in filters.....	124
A.1.6	Charge generation during stirring and mixing of liquids.....	124
A.1.7	Settling potentials.....	124
A.1.8	Breakup of liquid jets.....	124
A.1.9	Contact charging of powders.....	124
A.1.10	Charging by induction.....	125
A.1.11	Charge transfer by conduction.....	125
A.1.12	Charging by corona discharge.....	125

A.2	Accumulation of electrostatic charge	129
A.2.1	General	129
A.2.2	Charge accumulation on liquids	130
A.2.3	Charge accumulation on powders	131
A.3	Electrostatic discharges	132
A.3.1	Introduction	132
A.3.2	Sparks	132
A.3.3	Corona	133
A.3.4	Brush discharges	133
A.3.5	Propagating brush discharges	134
A.3.6	Lightning like discharges	134
A.3.7	Cone discharges	135
A.4	Measurements for risk assessment	135
Annex B (informative)	Electrostatic discharges in specific situations	137
B.1	Incendive discharges involving insulating solid materials	137
B.1.1	General	137
B.1.2	Sparks from isolated conductors	137
B.1.3	Brush discharges from insulating solid materials	137
B.1.4	Propagating brush discharges from insulating solid materials	137
B.2	Incendive discharges produced during liquid handling	138
B.2.1	General	138
B.2.2	Calculated maximum safe flow velocities for filling medium-sized vertical axis storage tanks	138
B.3	Incendive discharges produced during powder handling and storage	140
B.3.1	General	140
B.3.2	Discharges from bulk powder	140
B.3.3	Discharges from powder clouds	140
B.3.4	Discharges involving insulating containers and people	140
B.3.5	The use of liners in powder processes	140
B.3.6	Spark discharges in powder processes	141
B.3.7	Brush discharges in powder processes	141
B.3.8	Corona discharges in powder processes	141
B.3.9	Propagating brush discharges in powder processes	141
Annex C (informative)	Flammability properties of substances	143
C.1	General	143
C.2	Effect of oxygen concentration and ambient conditions	143
C.3	Explosive limits for gases and liquids	143
C.4	Inerting	143
C.5	Flash point	144
C.6	Minimum ignition energies	144
C.7	Combustible powders	147
C.8	Biofuels	147
Annex D (informative)	Classification of hazardous areas	148
D.1	Concept of zoning	148
D.2	Classification	148
D.3	Explosion groups	148
D.3.1	General	148
D.3.2	Group I	148

D.3.3	Group II	149
D.3.4	Group III	149
Annex E (informative)	Classification of equipment protection level	150
Annex F (informative)	Flow chart for a systematic electrostatic evaluation	151
Annex G (informative)	Tests	153
G.1	General	153
G.2	Surface resistance	153
G.2.1	General	153
G.2.2	Principle	153
G.2.3	Apparatus	153
G.2.4	Test sample	154
G.2.5	Procedure	155
G.2.6	Acceptance criteria	155
G.2.7	Test report	155
G.3	Surface resistivity	155
G.4	Leakage resistance	156
G.4.1	General	156
G.4.2	Principle	156
G.4.3	Apparatus	156
G.4.4	Test sample	156
G.4.5	Procedure	157
G.4.6	Acceptance criteria	157
G.4.7	Test report	157
G.5	In-use testing of footwear	157
G.5.1	General	157
G.5.2	Principle	157
G.5.3	Apparatus	157
G.5.4	Procedure	158
G.5.5	Acceptance criteria	158
G.5.6	Test report	158
G.6	In-use testing of gloves	154
G.6.1	General	154
G.6.2	Principle	158
G.6.3	Apparatus	159
G.6.4	Procedure	159
G.6.5	Acceptance criteria	159
G.6.6	Test report	159
G.7	Powder resistivity	155
G.7.1	General	159
G.7.2	Principle	159
G.7.3	Apparatus	160
G.7.4	Procedure	160
G.7.5	Acceptance criteria	161
G.7.6	Test report	161
G.8	Liquid conductivity	161
G.8.1	General	161
G.8.2	Principle	161
G.8.3	Apparatus	161
G.8.4	Procedure	162

	G.8.5	Acceptance criteria	162
	G.8.6	Test report.....	162
G.9	Capacitance.....		163
	G.9.1	General	163
	G.9.2	Principle	163
	G.9.3	Apparatus	163
	G.9.4	Test sample.....	163
	G.9.5	Procedure for moveable items	163
	G.9.6	Procedure for installed items	164
	G.9.7	Acceptance criteria	164
	G.9.8	Test report.....	164
G.10	Transferred charge		165
	G.10.1	General	165
	G.10.2	Principle	165
	G.10.3	Apparatus	165
	G.10.4	Test sample.....	166
	G.10.5	Procedure.....	166
	G.10.6	Acceptance criteria	167
	G.10.7	Test report.....	167
G.11	Ignition test.....		168
	G.11.1	General	168
	G.11.2	Apparatus	168
	G.11.3	Procedure.....	171
	G.11.4	Acceptance criteria	171
	G.11.5	Test report.....	171
G.12	Measuring of charge decay		172
	G.12.1	General	172
	G.12.2	Principle	172
	G.12.3	Apparatus	172
	G.12.4	Test sample.....	173
	G.12.5	Procedure.....	173
	G.12.6	Acceptance criteria	174
	G.12.7	Test report.....	174
G.13	Breakthrough voltage		174
	G.13.1	General	174
	G.13.2	Principle	174
	G.13.3	Apparatus	174
	G.13.4	Test procedure	175
	G.13.5	Acceptance criteria	175
	G.13.6	Test report.....	175
	Bibliography.....		177
	Figure 1 – Flow diagram: Assessment of bulk material with $\rho \leq 1 \text{ M}\Omega \text{ m}$		93
	Figure 2 – Flow diagram: Assessment of bulk material with $1 \text{ M}\Omega \text{ m} < \rho \leq 10 \text{ G}\Omega \text{ m}$		94
	Figure 3 – Flow diagram: Assessment of bulk material with $\rho > 10 \text{ G}\Omega \text{ m}$		95
	Figure 4 – Difference between earthing and bonding		112
	Figure 5 – Hazardous earthed conductor in contact with a flowing insulator		117
	Table 23 – Alternative restrictions on insulating solid materials and isolated conductive or dissipative parts in hazardous areas for equipment within the scope of IEC 60079-0.....		122
	Figure A.1 – Equivalent electrical circuit for an electrostatically charged conductor.....		130

Figure B.1 – Calculated maximum safe filling velocities for medium sized tanks (see 7.3.2.2.5.2)	139
Figure F.1 – Flowchart for a systematic electrostatic evaluation.....	152
Figure G.1 – Test sample with applied electrodes	154
Figure G.2 – Measuring cell for powder resistivity	160
Figure G.3 – Measuring cell for liquid conductivity	162
Figure G.4 – Ignition probe	170
Figure G.5 – Perforated plate of ignition probe.....	171
Figure G.6 – Example of an arrangement for measurement of charge decay.....	173
Figure G.7 – Electrodes for measuring breakthrough voltage of sheets	175
Table 1 – Boundary limits at $(23 \pm 2) ^\circ\text{C}$ and $(25 \pm 5) \% \text{RH}$ for the characterisation of solid materials and examples for the classification of objects	26
Table 2 – Maximum allowed isolated capacitance in Zones with explosive atmosphere.....	29
Table 3 – Restriction on size of insulating solid materials in hazardous areas	31
Table 4 – Maximum acceptable transferred charge	35
Table 5 – Requirements for conveyor belts	36
Table 6 – Requirements for transmission belts.....	37
Table 7 – Conductivities and relaxation times of some liquids	40
Table 8 – Precautions for filling large conductive tanks with low conductivity liquids	45
Table 9 – Filling rate limits for filling medium-sized vertical-axis tanks through schedule 40 pipes	51
Table 10 – Velocity and filling rate limits for loading low conductivity liquids into short (N=1), fixed horizontal axis tanks via schedule 40 pipes	52
Table 11 – Vehicles and compartments suitable for high-speed loading for ADR compliant vehicles	53
Table 12 – Influence of the sulphur content on middle distillate vd limits for road tankers	54
Table 13 – Velocity and filling rate limits for road tankers based on schedule 40 pipes; rates for hoses will be similar.....	54
Table 14 – Velocity and filling rate limits for loading rail tankers	55
Table 15 – Classification of end-to-end hose resistances for control of hazards from static electricity and stray current.....	68
Table 16 – ISO 8031 classification of hose grades	70
Table 17 – Hybrid grades of hoses and hose assemblies	71
Table 18 – Hose selection Table for flammable liquid service	72
Table 19 – Use of the different types of FIBC.....	100
Table 20 – Inner liners and FIBC: combinations that are permissible and not permissible in hazardous atmospheres	101
Table 21 – Determination of requirement for electrostatic dissipative protective clothing and other items of personal protective equipment	107
Table 22 – Summary of maximum earthing resistances for the control of static electricity in hazardous areas	114
Table A.1 – Charge build up on powders.....	129
Table A.2 – Values of capacitances for typical conductors	133
Table C.1 – Typical MIE intervals with examples.....	145
Table C.2 – Minimum ignition energy MIE and minimum ignition charge MIQ	146
Table G.1 – Volume concentrations of flammable gas mixtures.....	169

INTERNATIONAL ELECTROTECHNICAL COMMISSION

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC/TS 60079-32-1, which is a technical specification, has been prepared by IEC Technical Committee 31: Equipment for explosive atmospheres, and IEC Technical Committee 101: Electrostatics.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
31/1033/DTS	31/1076/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 60079 series, under the general title *Explosive atmospheres*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

transformed into an International standard,
reconfirmed,
withdrawn,
replaced by a revised edition, or
amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

This IEC Technical Specification is based on CENELEC TR 50404:2003, *Code of practice for the avoidance of hazards due to static electricity* and a number of other documents:

- from the UK: BS 5958, Parts 1 & 2:1991, *Control of undesirable static electricity*,
- from Germany: TRBS 2153:2009, *Preventing risks of ignition due to electrostatic charges*,
- from Shell International Petroleum: *Static electricity – Technical and safety aspects*,
- from the US: NFPA 77, *Recommended Practice on Static Electricity (2007)*,
- from Japan: JNIOH TR42, *Recommendations for Requirements for Avoiding Electrostatic Hazards in Industry (2007)*,
- from ASTM, EUROPIA, IEC, International chamber of shipping, ISO etc.

It gives the best available accepted state of the art guidance for the avoidance of hazards due to static electricity.

This document is mainly written for designers and users of processes and equipment, manufacturers and test houses. It can also be used by suppliers of equipment (e.g. machines) and flooring or apparel when no product family or dedicated product standard exists or where the existing standard does not deal with electrostatic hazards.

A second part, IEC 60079-32-2, *Electrostatic Hazards, Tests*, is under development.

EXPLOSIVE ATMOSPHERES –

Part 32-1: Electrostatic hazards, guidance

1 Scope

This part of IEC 60079 gives guidance about the equipment, product and process properties necessary to avoid ignition and electrostatic shock hazards arising from static electricity as well as the operational requirements needed to ensure safe use of the equipment, product or process. It can be used in a risk assessment of electrostatic hazards or for the preparation of product family or dedicated product standards for electrical or non-electrical machines or equipment.

The hazards associated with static electricity in industrial processes and environments that most commonly give problems are considered. These processes include the handling of solids, liquids, powders, gases, sprays and explosives. In each case, the source and nature of the electrostatic hazard are identified and specific recommendations are given for dealing with them.

The purpose of this document is to provide standard recommendations for the control of static electricity, such as earthing of conductors, reduction of charging and restriction of chargeable areas of insulators. In some cases static electricity plays an integral part of a process, e.g. electrostatic coating, but often it is an unwelcome side effect and it is with the latter that this guidance is concerned. If the standard recommendations given in this document are fulfilled it can be expected that the risk of hazardous electrostatic discharges in an explosive atmosphere is at an acceptably low level.

If the requirements of this document cannot be fulfilled, alternative approaches can be applied under the condition that at least the same level of safety is achieved.

Basic information about the generation of undesirable static electricity in solids, liquids, gases, explosives, and also on people, together with descriptions of how the charges generated cause ignitions or electrostatic shocks, is given in the annexes and in IEC/TR 61340-1.

This Technical Specification is not applicable to the hazards of static electricity relating to lightning or to damage to electronic components.

This Technical Specification is not intended to supersede standards that cover specific products and industrial situations.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60079-0:2011 *Explosive atmospheres – Part 0: Equipment – General requirements*

IEC 60079-10-1, *Explosive atmospheres – Part 10-1: Classification of areas – Explosive gas atmospheres*