



BSI Standards Publication

## **Guidelines for operation and maintenance of line commutated converter (LCC) HVDC converter station**

---

## National foreword

This Published Document is the UK implementation of IEC TR 63065:2017.

The UK participation in its preparation was entrusted to Technical Committee PEL/22, Power electronics.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017  
Published by BSI Standards Limited 2017

ISBN 978 0 580 94886 2

ICS 29.200; 29.240.01

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---



# IEC TR 63065

Edition 1.0 2017-09

# TECHNICAL REPORT

---

**Guidelines for operation and maintenance of line commutated converter (LCC)  
HVDC converter station**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 29.200; 29.240.01

ISBN 978-2-8322-4802-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD.....	4
1 Scope .....	6
2 Normative references .....	6
3 Terms, definitions, and abbreviated terms .....	6
3.1 Terms and definitions.....	6
3.2 Abbreviated terms.....	7
4 Operation .....	8
4.1 Operation policy.....	8
4.1.1 Target reliability and availability.....	8
4.1.2 Operation cost.....	9
4.1.3 Manned or unmanned .....	9
4.2 Operation condition and limits .....	9
4.3 Operations of an HVDC system.....	10
4.3.1 General .....	10
4.3.2 Typical operation configuration .....	10
4.3.3 Set up the control mode.....	12
4.3.4 Operation procedure.....	13
4.4 Operations of HVDC equipment .....	16
4.4.1 Converter valves.....	16
4.4.2 Converter transformers and oil immersed smoothing reactors .....	19
4.4.3 AC/DC breakers and switchgear .....	22
4.4.4 AC/DC filters .....	24
4.4.5 Control and protections.....	27
4.4.6 DC measurement instruments.....	29
4.4.7 Valve cooling system .....	30
4.4.8 Auxiliary power system .....	33
5 Maintenance.....	34
5.1 Maintenance policy .....	34
5.1.1 General .....	34
5.1.2 Corrective maintenance .....	34
5.1.3 Time-based maintenance (TBM) .....	34
5.1.4 Condition-based maintenance (CBM).....	35
5.1.5 Reliability-centred maintenance (RCM).....	35
5.1.6 Maintenance programme .....	35
5.2 Maintenance during operation .....	36
5.2.1 Routine maintenance for converter transformers.....	36
5.2.2 Maintenance for control and protections .....	36
5.2.3 Maintenance for DC measurements .....	37
5.2.4 Routine maintenance for valve cooling system.....	37
5.3 Maintenance under outage.....	37
5.3.1 Converter valves.....	37
5.3.2 Converter transformers .....	38
5.3.3 AC/DC breakers and switchgear .....	39
5.3.4 AC/DC filters .....	40
5.3.5 DC measurements .....	40
5.3.6 Valve cooling system .....	41
5.3.7 AC/DC arresters .....	41

6	Fault analysis and troubleshooting.....	42
6.1	General.....	42
6.2	System disturbances.....	42
6.3	Station faults.....	43
6.4	General information for fault analysis .....	43
6.4.1	General .....	43
6.4.2	Interpreting events and the TFR .....	43
6.4.3	Checking plant circuit diagram and application software logics .....	43
6.4.4	Analyzing the equipment status .....	43
6.4.5	Simulation .....	44
6.4.6	Site test.....	44
6.4.7	Involving the HVDC supplier .....	44
7	Training.....	44
7.1	General.....	44
7.2	Operator training program.....	44
7.2.1	General .....	44
7.2.2	Training courses.....	44
7.2.3	Participation during installation and commissioning .....	45
7.3	Maintenance training program.....	45
7.3.1	General .....	45
7.3.2	Training courses.....	45
7.3.3	Training during equipment installation and testing .....	46
7.3.4	Continuous transfer of knowledge.....	46
8	Spare parts.....	46
9	Tools .....	47
10	Documentation .....	48
10.1	General.....	48
10.2	Documents to be provided by the supplier.....	48
10.3	Documents to be prepared by the operators.....	48
10.4	Statistics and analysis .....	48
	Bibliography.....	50

Table 1 – Basic tools needed for operation and maintenance of an HVDC converter station .....	47
---	----

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

# GUIDELINES FOR OPERATION AND MAINTENANCE OF LINE COMMUTATED CONVERTER (LCC) HVDC CONVERTER STATION

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC TR 63065, which is a technical report, has been prepared by IEC technical committee 115: High Voltage Direct Current (HVDC) transmission for DC voltages above 100 kV.

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
115/153/DTR	115/163/RVDTR

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

# **GUIDELINES FOR OPERATION AND MAINTENANCE OF LINE COMMUTATED CONVERTER (LCC) HVDC CONVERTER STATION**

## **1 Scope**

This Technical Report provides general guidance on basic principles and general proposals for the safe and economic operation and maintenance of an LCC converter station.

These guidelines are based on the operation and maintenance practices that have been used successfully during the last decades at HVDC converter stations all over the world, and can be referred to by new HVDC users to optimize operation and maintenance policy and assist in performing the operation and maintenance work.

This document focuses only on the operation and maintenance of the equipment inside an LCC converter station, including back-to-back HVDC systems. The operation and maintenance of HVDC overhead transmission lines, HVDC cables and voltage sourced converter (VSC) are not covered by this document.

NOTE Usually the agreement between the purchaser and the suppliers of the HVDC converter station includes specific requirements regarding contractual requirements of particular systems. Such specific requirements will supersede the general/typical description mentioned in this document and all functions mentioned in this document are not necessarily applicable for all systems.

## **2 Normative references**

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60633, *Terminology for high-voltage direct current (HVDC) transmission*

IEC 60919 (all parts), *Performance of high-voltage direct current (HVDC) systems with line-commutated converters*

IEC 61975, *System tests for High-voltage direct current (HVDC) installations*

IEC TS 62672-1, *Reliability and availability evaluation of HVDC systems – Part 1: HVDC systems with line commutated converters*

## **3 Terms, definitions, and abbreviated terms**

### **3.1 Terms and definitions**

For the purposes of this document, the terms and definitions given in IEC 60633 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>