

PD IEC/TS 62257-4:2015



BSI Standards Publication

# Recommendations for renewable energy and hybrid systems for rural electrification

Part 4: System selection and design

**bsi.**

...making excellence a habit.™

**National foreword**

This Published Document is the UK implementation of IEC/TS 62257-4:2015. It supersedes DD IEC/TS 62257-4:2005 which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee GEL/82, Photovoltaic Energy Systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.

Published by BSI Standards Limited 2016

ISBN 978 0 580 89916 4

ICS 27.160; 27.180

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 January 2016.

**Amendments/corrigenda issued since publication**

Date	Text affected
------	---------------

---



# TECHNICAL SPECIFICATION

---

**Recommendations for renewable energy and hybrid systems for rural  
electrification –  
Part 4: System selection and design**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

ICS 27.160

ISBN 978-2-8322-3071-8

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	6
INTRODUCTION .....	8
1 Scope .....	9
2 Normative references .....	9
3 Terms and definitions .....	9
4 Functional requirements of production and distribution subsystems .....	10
4.1 General .....	10
4.2 Overall needs to be satisfied .....	11
4.2.1 Main factors to be considered .....	11
4.2.2 Needs and characteristics to be considered .....	11
4.3 Introduction to subsystems .....	14
4.4 Functional description of a production subsystem .....	15
4.4.1 General .....	15
4.4.2 Detailed functions to be achieved by a production subsystem .....	15
4.4.3 Detailed performances criteria to be achieved by a production subsystem .....	16
4.5 Functional description of a distribution subsystem .....	16
4.5.1 Detailed functions to be achieved by a distribution subsystem (or rural micro-grid) .....	16
4.5.2 Detailed performances criteria to be achieved by a distribution subsystem .....	17
4.6 Functional description of a demand subsystem .....	18
4.7 Constraints to be complied with by production distribution and demand subsystems .....	18
5 Energy management rules .....	19
5.1 General .....	19
5.2 Functional description for an energy management of an isolated system .....	20
5.3 Demand side management .....	21
6 Expected results from the sizing process .....	21
6.1 Overview .....	21
6.2 Participants in the sizing process .....	21
6.3 Elements for comparing various design proposals .....	21
6.4 Frameworks for proposal .....	22
6.4.1 General .....	22
6.4.2 General commitments to supply .....	22
6.4.3 Assumptions and classification of input .....	24
6.4.4 Technical characteristics for the main equipment proposed .....	28
6.4.5 Characteristics for a photovoltaic array .....	29
6.4.6 Characteristics for wind turbines .....	30
6.4.7 Characteristics for the generator set .....	31
6.4.8 Characteristics for micro hydro turbines .....	32
6.4.9 Characteristics for biomass generators .....	33
6.4.10 Characteristics for power converters .....	33
6.4.11 Characteristics for the load manager/meter .....	35
6.4.12 Characteristics for system controllers .....	35
6.4.13 Characteristics for batteries .....	36

6.4.14	Characteristics for links and wiring .....	37
6.4.15	Energy outputs .....	37
6.4.16	Presentation of the costs .....	38
6.4.17	Design warranty.....	38
6.4.18	Steps to reduce the impact of climatic hazards on system performance .....	39
6.4.19	Presentation of the environmental and social impact.....	39
6.4.20	Presentation of the socio- economic impact assessment.....	39
6.5	Proposal for a sizing process .....	39
6.6	Impact of design assumptions on system sizing and cost .....	39
6.7	Guarantee of results .....	41
7	Data acquisition rules for system management .....	41
7.1	Overview.....	41
7.2	General.....	41
7.3	Levels of data acquisition and data necessity.....	42
7.3.1	General .....	42
7.3.2	Information to provide to the energy manager and relevant data to be collected .....	42
7.3.3	Information to provide to the operator and relevant data to be collected .....	44
7.3.4	Information to provide to the user and relevant data to be collected .....	45
7.3.5	Summary of the information required .....	46
7.3.6	Scientific data collection .....	46
7.4	Data to be collected .....	46
7.5	Operating conditions, electrical and engineering requirements for data acquisition .....	48
Annex A (informative)	Example for detailed performance criteria and levels for a production subsystem .....	49
Annex B (informative)	Example for detailed performance criteria and levels for a distribution subsystem .....	50
Annex C (informative)	Example framework for proposal specification .....	51
C.1	Knowledge of site .....	51
C.2	Knowledge of consumption data.....	51
C.3	Knowledge of resources .....	52
C.4	Technical characteristics for the main equipment proposed.....	53
C.4.1	Photovoltaic modules.....	53
C.4.2	Modules supporting structure.....	53
C.5	Characteristics for wind turbines .....	53
C.5.1	Wind turbine .....	53
C.5.2	Structure support .....	54
C.6	Characteristics for the generator set .....	54
C.7	Characteristics for micro hydro turbine.....	55
C.8	Characteristics for biomass generators .....	55
C.9	Characteristics for power converters .....	55
C.10	Characteristics for load manager/meter .....	56
C.11	Characteristics for system controllers .....	57
C.12	Characteristics for battery .....	57
C.13	Energy outputs.....	58
C.13.1	From renewable energies .....	58
C.13.2	From fossil energies .....	58
Annex D (informative)	Formula for costs calculations .....	59

D.1	Yearly cash flow.....	59
D.2	Calculation of total life cycle cost.....	59
D.3	Calculation of the levelized cost of energy .....	60
D.4	Annualized maintenance, operating, and replacement expense.....	60
D.5	Further economic calculations applicable to energy businesses .....	61
Annex E (informative)	Proposal for a sizing process .....	63
E.1	General.....	63
E.2	Comments on the proposed sizing process .....	64
E.2.1	General .....	64
E.2.2	Step 01: Definition of power requirements to be fulfilled .....	65
E.2.3	Step 02: Conversion of available weather data into relevant data .....	66
E.2.4	Step 03: Statement of economic data to be accounted for.....	67
E.2.5	Step 04: Inventory of the constraints to account for .....	67
E.2.6	Step 05: Management assumptions .....	68
E.2.7	Step 06: Technical choices .....	69
E.2.8	Step 07: Calculations.....	70
E.2.9	Step 08: Analysis of the results.....	70
E.2.10	Step 09: Examination of the opportunity of other choices .....	71
E.2.11	Step 10: Change in technical choices .....	71
E.2.12	Step 11: Definition of desired equipment characteristics .....	71
E.2.13	Step 12: Identification of existing/available equipment complying with the characteristics .....	71
E.2.14	Step 13: New calculations.....	71
E.2.15	Step 14: Analysis of the results.....	71
E.2.16	Step 15: Examining the opportunity of other choices.....	71
E.2.17	Step 16: New choices of equipment .....	71
E.2.18	Step 17: Technical characteristics for the finally chosen equipment .....	72
E.2.19	Step 18: Forwarding the results to the project implementer.....	72
E.2.20	Step 19: Modification of the input data.....	72
Figure 1	– Factors involved in the design of a system .....	11
Figure 2	– Functional diagram of a radial structure for rural micro-grid.....	18
Figure 3	– Functional impact of energy management and safety .....	19
Figure E.1	– Sizing process flow chart .....	64
Table 1	– Technical factors – needs or characteristics to be considered .....	12
Table 2	– Economic factors – needs and characteristics to be considered .....	12
Table 3	– Site characteristics.....	13
Table 4	– Regulations and requirements to be considered .....	14
Table 5	– Participants in the sizing process .....	21
Table 6	– Perspectives to be considered.....	23
Table 7	– Commitments indicators .....	24
Table 8	– Knowledge of site.....	25
Table 9	– Knowledge of consumption data .....	26
Table 10	– Knowledge of resources: data accuracy levels .....	26
Table 11	– Knowledge of resources: data retained for considered site .....	28
Table 12	– Knowledge of resources: range of data history .....	28

Table 13 – Characteristics for photovoltaic modules .....	29
Table 14 – Characteristics for modules supporting structure .....	29
Table 15 – Characteristics for the wind turbine .....	30
Table 16 – Characteristics for wind turbine structure .....	30
Table 17 – Characteristics for the generator set .....	31
Table 18 – Characteristics for micro hydro turbines .....	32
Table 19 – Characteristics for biomass generators .....	33
Table 20 – Characteristics for power converters .....	34
Table 21 – Characteristics for load manager/meter .....	35
Table 22 – Characteristics for system controllers .....	36
Table 23 – Characteristics for batteries .....	36
Table 24 – Characteristics for links and wiring .....	37
Table 25 – Energy output from renewable energies .....	37
Table 26 – Energy output from fossil energies .....	37
Table 27 – Energy output from storage .....	38
Table 28 – Incidence of energy management assumptions on system sizing .....	40
Table 29 – Incidence of cost management assumptions on system dimensions .....	41
Table 30 – Information required by the energy manager and data to collect .....	43
Table 31 – Information required by the operator and data to collect .....	45
Table 32 – Information required by the user and data to collect .....	45
Table 33 – Summary of the needed information .....	46
Table 34 – Minimum set of data to be collected .....	47
Table 35 – Relationship between required information and system architecture .....	48
Table A.1 – Detailed performance criteria and levels for a production subsystem .....	49
Table A.2 – Typical example of Table A.1 .....	49
Table B.1 – Detailed performance criteria and levels for a distribution subsystem .....	50
Table B.2 – Typical example of Table B.2 .....	50
Table E.1 – Description of utilities to be power supplied .....	65
Table E.2 – Consumption characteristics .....	66
Table E.3 – Meteorological data used for sizing .....	66
Table E.4 – Proposals for types of cost to be accounted for .....	67
Table E.5 – Site constraints inventory .....	67
Table E.6 – Impact of energy management assumptions on plant sizing .....	68
Table E.7 – Impact of cost management assumptions on plant sizing .....	69

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RECOMMENDATIONS FOR RENEWABLE ENERGY  
AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –****Part 4: System selection and design****FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62257-4, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

This second edition cancels and replaces the first edition issued in 2005. It constitutes a technical revision.

The main technical changes with regard to the previous edition are as follows:

- redefine the maximum AC voltage from 500 V to 1 000 V, the maximum DC voltage from 750 V to 1 500 V;
- removal of the limitation of 100 kVA system size. Hence the removal of the word “small” in the title and related references in this technical specification.

This technical specification is to be used in conjunction with the IEC 62257 series.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/949/DTS	82/1000A/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62257 series, published under the general title *Recommendations for renewable energy and hybrid systems for rural electrification*, can be found on the IEC website.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

## INTRODUCTION

The IEC 62257 series intends to provide to different players involved in rural electrification projects (such as project implementers, project contractors, project supervisors, installers, etc.) documents for the setting up of renewable energy and hybrid systems with AC voltage below 1 000 V and DC voltage below 1 500 V.

These documents are recommendations:

- to choose the right system for the right place;
- to design the system;
- to operate and maintain the system.

These documents are focused only on rural electrification concentrating on but not specific to developing countries. They should not be considered as all inclusive to rural electrification. The documents try to promote the use of renewable energies in rural electrification; they do not deal with clean mechanisms developments at this time (CO<sub>2</sub> emission, carbon credit, etc.). Further developments in this field could be introduced in future steps.

This consistent set of documents is best considered as a whole with different parts corresponding to items for safety, sustainability of systems aiming at the lowest life cycle cost as possible. One of the main objectives is to provide the minimum sufficient requirements, relevant to the field of application that is: renewable energy and hybrid off-grid systems.

## RECOMMENDATIONS FOR RENEWABLE ENERGY AND HYBRID SYSTEMS FOR RURAL ELECTRIFICATION –

### Part 4: System selection and design

#### 1 Scope

This part of IEC 62257 provides a method for describing the results to be achieved by the electrification system independently of the technical solutions that could be implemented.

The purpose of this part of IEC 62257 is to provide a method to assist project contractors and project developers to select and design the electrification system for isolated sites while matching the identified needs, such as those described in IEC TS 62257-2. IEC TS 62257-2 assesses the needs of the users and the different power system architectures which can be used for meeting these needs. In relation to the needs of the different participants to the project, functional requirements that shall be achieved by the production and distribution subsystems are listed.

In Clause 5, energy management rules to be considered are described. These are key issues as they have a great influence on the sizing of the electrification system.

In Clause 6, the informations provided by the system sizing process to allow the participants to select the equipment or component able to fulfil the functional requirements are listed.

To allow and facilitate the management of the micro-power plant and the maintenance of the whole electrification system, some information is collected and monitored.

Clause 7 is dedicated to defining the parameters and specifying rules for data acquisition.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC TS 62257-2:2015, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 2: From requirements to a range of electrification systems*

IEC TS 62257-3:2015, *Recommendations for renewable energy and hybrid systems for rural electrification – Part 3: Project development and management*

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

##### 3.1

**renewable energy**

**RE**

energy from a source that is not depleted when used