

BSI Standards Publication

Measurement procedures for materials used in photovoltaic modules

Part 2: Polymeric materials - Frontsheets and backsheets



National foreword

This Published Document is the UK implementation of IEC/TS 62788-2:2017.

The UK participation in its preparation was entrusted to Technical Committee GEL/82, Photovoltaic Energy Systems.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017 Published by BSI Standards Limited 2017

ISBN 978 0 580 91610 6

ICS 27.160

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 30 September 2017.

Amendments/corrigenda issued since publication

Date Text affected



IEC TS 62788-2

Edition 1.0 2017-08

TECHNICAL SPECIFICATION



Measurement procedures for materials used in photovoltaic modules – Part 2: Polymeric materials – Frontsheets and backsheets





THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.



IEC TS 62788-2

Edition1.0 2017-08

TECHNICAL SPECIFICATION



Measurement procedures for materials used in photovoltaic modules – Part 2: Polymeric materials – Frontsheets and backsheets

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 27.160 ISBN 978-2-8322-4673-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FC	REWOR	'D	6
IN ⁻	TRODUC	CTION	8
1	Scope		10
2	•	tive references	
3		and definitions	
4		rocedures	
+			
		General	
		Mechanical characteristics	
	4.2.1	General	
	4.2.2	Thickness	
	4.2.3	Area weight	
	4.2.4	Tensile strength / elongation at break	
	4.2.5	Curling	
		Adhesion testing	
	4.3.1	Purpose	
	4.3.2	General	
	4.3.3	Sample preparation	
	4.3.4	Sample conditioning	
	4.3.5	Apparatus and procedure	
	4.3.6	Adhesion tests for interfaces of backsheet and frontsheet	
	4.3.7	Thermal characteristics	
	4.4 T	Thermal endurance	
	4.4.1		
	4.4.2	Dimensional stability	
	4.4.4	Relative thermal expansion (CTE) Thermal conductivity	
		Electrical characteristics	
	4.5.1		
	_	Breakdown voltage	
	4.5.2 4.5.3	Distance through insulation (dti)	
	4.5.4	Volume resistivity	
		Optical characteristics	
	4.6.1	General	
	4.6.2	Specimen preparation	
	4.6.3	Visual Inspection	
	4.6.4	Optical transmittance of frontsheets and backsheets	
	4.6.5	Optical reflectance of backsheets	
	4.6.6	Yellowness index (YI)	
	4.6.7	Colour measurement (L*, a*, b*)	
	4.6.8	Surface gloss	
		Diffusion characteristics	
	4.7.1	Permeability of water vapour	
	4.7.1	Permeability of oxygen	
		Chemical characteristics	
	4.8.1	Resistance to solvents	
	T.U. I	resistance to servents	

	4.9	Other characteristics	48
	4.9.1	Ignitability – Purpose	48
	4.9.2	Flammability – Purpose	48
	4.10	Accelerated ageing tests	48
	4.10.	1 Purpose	48
	4.10.	2 Damp Heat (DH) testing at elevated heat and moisture	49
	4.10.	Weathering at elevated levels of temperature and moisture	50
5	Unifo	rm characterization form (UCF)	55
	5.1	General	55
	5.2	Layer stack description	55
	5.3	Material test results and reporting requirements	
6		sheet	
	6.1	Purpose	
	6.2	Reporting requirements	
7		uct identification sheet (label)	
ΑI	,	informative) Overview of adhesion testing of frontsheet and backsheet	
	A.1	Type of adhesion failure	
	A.2	Characteristics of adhesion peel tests	
	A.3	Characteristics of pluck and lap-shear tests	
	A.4	Cross-hatch tape testing	
	A.5	Other caveats	
	A.6	Overview	
Αı	nnex B (normative) Adhesive bond strength test procedures in PV context	
	B.1	180°peel adhesion test	
	B.1.1	•	
	B.1.2		
	B.1.3		
	B.2	T-peel adhesion test	66
	B.2.1	Sample preparation	
	B.2.2	Procedure	67
	B.2.3	Measurement	67
	B.3	Dynamic tensile (T-pluck)	68
	B.3.1	Purpose	68
	B.3.2	Principle	68
	B.3.3	Specimens	68
	B.3.4	Measurement procedure	69
	B.3.5	Final measurements	69
	B.4	Dynamic overlap shear	70
	B.4.1	Purpose	70
	B.4.2	Principle	70
	B.4.3	Specimens	70
	B.4.4	Measurement procedure	72
	B.4.5	Final measurements	72
	B.5	Cross-hatch tape test	73
	B.5.1	Apparatus	73
	B.5.2	Procedure	74
	B.5.3	Final measurements	74

Annex C (normative) DC breakdown voltage	/5
C.1 Apparatus	75
C.2 Surrounding medium	76
C.3 Procedure	76
C.4 Criteria of breakdown	77
C.5 Other characterization methods	77
Annex D (informative) Abrasion testing	79
D.1 Purpose	79
D.2 Methods	
Annex E (normative) Sampling of films	
E.1 Purpose	
E.2 Procedure	
Annex F (normative) Sample preparation	
F.1 Purpose	
F.2 Sample constructions	
F.2.1 General considerations	
F.2.2 Materials and procedures	
Bibliography	87
Figure 1 – Specimen type	20
Figure 2 – Specimen before and after shrinkage	29
Figure 3 – Examples of lamination cycles	34
Figure 4 – Schematics of test specimen for distance for insulation before and after lamination	34
Figure 5 – Directions for sectioning (perpendicular to solder wire position)	35
Figure 6 – Example of dti cross-section of a backsheet with an E-layer as inner side material	
Figure A.1 – Adhesive and cohesive failure type schematics for lap-shear (top) and T-pluck (bottom)	
Figure B.1 – Example test panel (70 mm x 150 mm) and test specimen	64
Figure B.2 – Fixation of the sample for 180° peel (for use with flexible/flexible samples) and cross-section of the sample	
Figure B.3 – Single and multiple failure modes in a peel test	
Figure B.4 – Sheet sandwich (above) from which test specimens for T-peel are	00
prepared	67
Figure B.5 – Dynamic tensile (pluck) schematic	68
Figure B.6 – Schematic of pluck sample (in cross-section) for a laminated backsheet test	
Figure B.7 – Dynamic tensile variables	
Figure B.8 – Overlap shear force schematics	
	70
Figure B.9 – Schematic of overlap shear specimen shown in cross-section, for a laminated backsheet coupon	71
Figure B.10 – Details of overlap shear specimens (ISO 4587:2003, Figure 1)	71
Figure B.11 – Overview of overlap shear test conditions	72
Figure B.12 – Dynamic overlap shear schematic	73
Figure B.13 – Illustration of area removal by tape in cross-hatch test, with classification from 0 to 5 (from left to right)	
Tem 0 to 0 (nom lost to right)	/ →

Figure C.1 – Equal electrodes for dielectric strength test (taken from Figure 1b of IEC 60243-1:2013)	.76
Figure D.1 – Number size distributions of saltation particles at the dune site, 30 cm height, and the Gobi sites, 20 cm and 30 cm height, from 1223 to 1320 UT, 5 April 2002 [13]	.80
Figure D.2 – Particle size distribution of sand from different heights	.81
Figure D.3 – Grain size distribution of surface sand and drifting sand captured at 20 cm high above the crest of dune [14]	.81
Table 1 – Overview of adhesion tests	. 25
Table 2 – Overview of sample preparation for exposure of sun-facing side of backsheet depending on intended post evaluation (see Table F.1)	.52
Table 3 – Uniform characterization form (UCF) for polymeric PV frontsheet or backsheet	. 57
Table A.1 – Overview of various adhesion tests and their general capability of testing polymeric frontsheet and backsheet	.62
Table F.1 – Overview of sample preparation suitable for material tests	.85

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEASUREMENT PROCEDURES FOR MATERIALS USED IN PHOTOVOLTAIC MODULES –

Part 2: Polymeric materials - Frontsheets and backsheets

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62788-2, which is a technical specification, has been prepared by IEC technical committee 82: Solar photovoltaic energy systems.

IEC TS 62788-2:2017 © IEC 2017

-7-

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
82/1189/DTS	82/1243A/RVDTS

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

A list of all parts in the IEC 62788 series, published under the general title *Measurement procedures for materials used in photovoltaic modules*, can be found on the IEC website.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Backsheets provide the electrical insulation at the backside of a PV module under the environmental stress factors and use conditions encountered during the intended lifetime of the module. Frontsheets have the same function at the front side of the module facing towards the sun. Both can be made from glass or polymeric material.

Polymeric backsheets and frontsheets are typically compositions of layered materials, such as films, adhesives or coatings, in which at least one material layer delivers the relied-upon insulation (RUI) for electrical safety. Other layers may provide extended protection of the RUI against the environmental factors or adhesive functionality. As an integral part of the PV module, backsheet and frontsheet shall provide their durable electrical insulating function in presence of the other components of the PV module, such as light-to-current conversion element (the "cell"), electrical circuits and connectors, frontsheet and encapsulant, sealing material, junction boxes, etc. These elements may introduce additional stresses on the backsheet or frontsheet (e.g. by chemical interactions or introducing thermal load or mechanical stress) or alter environmental stresses (e.g. filtering of UV radiation reaching the sun-facing side of the backsheet).

It is impractical to conduct all endurance tests for frontsheet or backsheet component on module level. Instead, testing is performed directly on these components for pre-qualification of the materials as such, as e.g. given by the thermal endurance test required for material intended for use as relied-upon-insulation, that is qualified by IEC 60216 (see IEC 61730-1:2016, 5.5.1.3.3) and results in RTE/RTI/TI ratings of \geq 90 °C or maximum operating temperature (whichever is greater). In the case of thermal pre-qualification of backsheet and frontsheet only dielectric and mechanical material tests apply for RTE/RTI/TI assessment.

In analogy to RTE/RTI/TI, it is desirable to also obtain pre-qualification of backsheet and frontsheet films to provide durable electrical insulation after exposure to additional environmental factors, such as:

- a) Elevated moisture and temperature (damp heat), or
- b) UV-weathering in a manner representative of the field conditions. These tests can either be conducted direct on the backsheet or frontsheet films or on dedicated test coupons as engineering type specimens, which are prepared from the same materials and produced under comparable processing conditions (i.e. lamination) as the PV modules.
 - The portion of the backsheet that contributes to the relied upon insulation should be evaluated for d.c. voltage (V) breakdown strength according to IEC 60243-1 and IEC 60243-2, and meet the requirements as described in 5.6.4.3 of IEC 61730-1:2016. In this document a suitable choice of test parameters for the assessment of polymeric frontsheet and backsheet is defined.
 - The relied upon insulation material shall have a minimum thickness, also known as distance through insulation (dti) defined in the "thickness in thin layers" rows of Tables 3 and 4 in 5.6 of IEC 61730-1:2016.
 - Materials relied upon for insulation are further categorized into Materials Groups I, II, or III, according to CTI values describing potential tracking along interfaces that may get in contact with live parts.
 - Durable adhesion between components of the backsheet or frontsheet is needed to preserve the integrity of the sheet material in field conditions. Also, preservation of adhesion to other components of the module such as encapsulant and edge seal or adhesion to the junction box adhesive are important. Different test geometries may apply depending on the interface under test and construction of the sheet material.

Other characteristics of frontsheet or backsheet might be relevant for the electrical yield (e.g. optical transmittance or reflectance) or module producibility (e.g. lamination process).

This document defines test methods required for reporting of properties of polymeric frontsheet and backsheet in a datasheet. Those properties are related to safety and yield of the assembled PV module and may be applied to backsheet/frontsheet before and after specific ageing tests as mentioned before.

In analogy to RTE/RTI/TI testing, the test methods in this document are intended to be used in procedures for pre-qualification and/or quality assurance of frontsheet and backsheet components with respect to their endurance under damp-heat and UV weathering stresses – once these pre-qualification procedures are agreed on and implemented in alignment with the pertinent standards IEC 61730 and IEC 61215, in which the safety requirements on PV module level are defined.

NOTE At the time of writing this TS, an amendment project for IEC 61730-1 is in preparation, in which requirements for measurement of dti (distance through insulation) and resistance against weathering are planned based on methods defined in this document IEC TS 62788-2 as well as IEC TS 62788-7-2.

The test methods in these TS provide additional information on material properties and endurance of backsheet and frontsheet components that cannot be assessed in the tests on PV module alone.

Furthermore, optional characterization test methods are defined, addressing properties of backsheet and frontsheet that are of informative nature, e.g. in the context of PV module design, but which are not directly safety, yield or processing related.

Test methods for characterization of components of backsheet and frontsheet are described, which are useful in R&D context.

All of these test methods are set into perspective by indicating their use and limitations.

MEASUREMENT PROCEDURES FOR MATERIALS USED IN PHOTOVOLTAIC MODULES –

Part 2: Polymeric materials – Frontsheets and backsheets

1 Scope

This part of IEC 62788 defines test methods and datasheet reporting requirements for safety and performance related properties (mechanical, electrical, thermal, optical and chemical) of non-rigid polymeric materials intended for use in terrestrial photovoltaic modules as polymeric frontsheets and backsheets.

The test methods in this document define how to characterize backsheet and frontsheet materials and their components in a manner representative of how they will be used in the module, which eventually includes combination with other matched components such as encapsulant or adhesives. The methods described in this document support the safety and performance related tests defined on PV module level as defined in the series IEC 61730 and IEC 61215.

This document also defines test methods for assessment of inherent material characteristics of polymeric backsheets and frontsheets or their components, which may be required in datasheet reporting or may be useful in the context of product development or design of PV modules.

Rigid polymeric sheet materials (also providing mechanical support) may require further consideration.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment

IEC 60050-826, International Electrotechnical Vocabulary – Part 826: Electrical installations

IEC 60068-1, Environmental testing – Part 1: General and guidance

IEC 60112:2003, Method for the determination of the proof and the comparative tracking indices of solid insulating materials

IEC 60212, Standard conditions for use prior to and during the testing of solid electrical insulating materials

IEC 60216-1, Electrical insulating materials – Properties of thermal endurance – Part 1: Ageing procedures and evaluation of test results

IEC 60216-2:2005, Electrical insulating materials – Thermal endurance properties – Part 2: Determination of thermal endurance properties of electrical insulating materials – Choice of test criteria