



BSI Standards Publication

Reference materials — Guidance for characterization and assessment of homogeneity and stability

National foreword

This Published Document is the UK implementation of ISO GUIDE 35:2017.

The UK participation in its preparation was entrusted to Technical Committee RMI/1, Reference Materials.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2017
Published by BSI Standards Limited 2017

ISBN 978 0 580 86736 1

ICS 71.040.30

Compliance with a British Standard cannot confer immunity from legal obligations.

This Published Document was published under the authority of the Standards Policy and Strategy Committee on 31 October 2017.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

Reference materials — Guidance for characterization and assessment of homogeneity and stability

*Matériaux de référence — Lignes directrices pour la caractérisation
et l'évaluation de l'homogénéité et de la stabilité*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	3
5 Conventions	4
6 An overview of reference material production	5
6.1 General	5
6.2 Summary of project design	5
6.3 Acquisition of starting material	6
6.4 Feasibility studies	7
6.5 Reference material processing	7
6.6 Homogeneity assessment	7
6.7 Stability assessment	7
6.8 Choice of measurement procedures	7
6.9 Metrological traceability	8
6.10 Characterization and uncertainty evaluation	8
6.11 Commutability assessment	8
6.12 Transport issues	8
6.13 Value assignment	9
6.14 Stability monitoring	9
6.15 Reference materials produced in repeated batches	9
7 Assessment of homogeneity	9
7.1 Preamble	9
7.2 Need for an experimental homogeneity study	10
7.3 Properties to be studied	11
7.4 Statistically valid sampling schemes	11
7.4.1 Minimum number of units for a homogeneity study	11
7.4.2 Use of statistical power analysis	13
7.4.3 Sampling strategy for a homogeneity study	13
7.5 Choice and conduct of the measurement procedure for a homogeneity study	14
7.5.1 Choice of measurement procedure	14
7.5.2 Conduct of measurements for homogeneity studies	14
7.6 Homogeneity study designs	16
7.6.1 Objective of a homogeneity study	16
7.6.2 The basic homogeneity study design – measurement in a single run	17
7.6.3 Randomized block design	18
7.6.4 Balanced nested design	18
7.6.5 Alternative strategies	19
7.7 Evaluating a homogeneity study	19
7.7.1 Initial inspection for measurement trends and outliers	19
7.7.2 Inspection for processing trends	20
7.7.3 Evaluation of the between-unit term – basic design	20
7.7.4 Evaluation of the between-unit term – randomized block design	21
7.7.5 Evaluation of the between-unit term – balanced nested design	21
7.7.6 Other homogeneity designs and alternative estimation methods	22
7.8 Insufficient repeatability of the measurement procedure	22
7.9 Within-unit homogeneity	23
7.9.1 Assessing the need for within-unit homogeneity study	23
7.9.2 Testing for significant within-unit heterogeneity	23
7.9.3 Assessing minimum sample size	25

7.10	Check for sufficient homogeneity	26
7.11	Uncertainty evaluation from homogeneity studies	26
8	Assessment and monitoring of stability	26
8.1	Preamble	26
8.2	Assessment of stability	28
8.2.1	Requirement for stability assessment	28
8.2.2	Types of (in)stability	28
8.2.3	General methods for assessment of stability	28
8.2.4	Need for experimental study of stability	29
8.3	Classification of stability studies	29
8.3.1	General	29
8.3.2	Classification according to conditions of measurement	30
8.3.3	Classification according to stability study duration and conditions	30
8.3.4	Classification by study objective	31
8.3.5	Designs for different storage and treatment conditions	32
8.4	General requirements for effective stability studies	32
8.4.1	Overview of requirements	32
8.4.2	Selection of units	32
8.4.3	Suitable measurement procedure(s) for stability studies	33
8.4.4	Appropriate experimental design	33
8.5	Evaluation of stability study results	34
8.5.1	General considerations for stability study data treatment	34
8.5.2	The basic stability study: multiple points in time at a single storage condition	35
8.5.3	Isochronous designs	36
8.5.4	Accelerated stability studies with multiple exposure conditions	38
8.5.5	Additional sources of random variation in stability studies	41
8.6	Action on finding of a significant trend in a stability study	42
8.7	Uncertainty evaluation from stability studies	42
8.7.1	General considerations for uncertainty evaluation from stability studies	42
8.7.2	Sources of uncertainty in predicted change over time	43
8.7.3	Estimation of stability uncertainties in the absence of significant trends	43
8.7.4	Evaluation of stability uncertainties in the case of a known significant trend	44
8.8	Estimation of storage lifetime ("shelf life") from a stability study	44
8.9	Instructions for use related to management of stability	44
8.10	Stability monitoring	45
8.10.1	Requirements for monitoring	45
8.10.2	Choice of initial monitoring point and monitoring interval(s)	45
8.10.3	Experimental approaches and evaluation for stability monitoring	47
9	Characterization of the material	48
9.1	Preamble	48
9.2	Establishing metrological traceability	49
9.2.1	Principle	49
9.2.2	Metrological references	49
9.2.3	Types of measurands	50
9.2.4	Effect of sample preparation or pre-treatment	50
9.2.5	Verification of traceability	51
9.3	Characterization using a single reference measurement procedure (as defined in ISO/IEC Guide 99) in a single laboratory	51
9.3.1	Characterization by a reference measurement procedure without direct comparison with a CRM of the same kind	51
9.3.2	Characterization by value transfer from a reference material to a closely matched candidate reference material using a single measurement procedure performed by one laboratory	52
9.3.3	Selection of RM units for single-laboratory characterization	53
9.3.4	Formulation methods	54
9.4	Characterization of a non-operationally defined measurand using two or more methods of demonstrable accuracy in one or more competent laboratories	54

9.4.1	Concept	54
9.4.2	Study design	55
9.4.3	Evaluation	56
9.4.4	Single-laboratory multi-method studies	57
9.5	Characterization of an operationally defined measurand using a network of competent laboratories	58
9.5.1	Concept	58
9.5.2	Study setup	58
9.5.3	Evaluation	58
9.6	Purity	58
9.6.1	General	58
9.6.2	Direct determination of purity	59
9.6.3	Indirect determination of purity	59
9.7	Identity	60
9.7.1	Materials certified based on provenance	60
9.7.2	Materials certified for identity based on measurements	60
9.8	Presence/absence	62
9.9	Ordinal scales	63
9.10	Qualitative properties	63
9.11	Characterization of non-certified values	63
10	Evaluating measurement uncertainty	63
10.1	Basis for evaluating the uncertainty of a property value of a CRM	63
10.2	Basic model for a batch characterization	64
10.3	Uncertainty sources	64
10.4	Coverage intervals and factors	65
Annex A	(informative) Design and evaluation of studies for the characterization of a method-independent measurand using two or more methods of demonstrable accuracy in one or more competent laboratories	66
Annex B	(informative) Statistical approaches	77
Annex C	(informative) Examples	89
Annex D	(informative) Measurement uncertainty evaluation	99
Bibliography	101

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html

This document was prepared by Technical Committee ISO/REMCO, the Reference Materials Committee of ISO.

This fourth edition cancels and replaces the third edition (ISO Guide 35:2006).

Introduction

The production of reference materials (RMs) is a key activity for the improvement and maintenance of a worldwide coherent measurement system. As detailed in ISO Guide 33[1], RMs with different characteristics are used in measurements, such as calibration, quality control, proficiency testing and method validation, as well as for the assignment of values to other materials. Certified reference materials (CRMs) are also used to confirm or establish metrological traceability to conventional scales, such as the octane number, hardness scales and pH.

To be comparable across borders and over time, measurements need to be traceable to appropriate and stated references. CRMs play a key role in implementing the concept of traceability of measurement results in chemistry, biology and physics among other sciences dealing with substances and materials. Laboratories use these CRMs as readily accessible measurement standards to establish traceability of their measurement results to International Standards. The property values carried by a CRM can be made traceable to the International System of Units (SI) or other internationally agreed references during production. This document explains how approaches can be developed that will lead to well established property values, which are made traceable to appropriate stated references.

For reference material producers (RMPs), there is an International Standard and three ISO Guides that support the production and certification of RMs to ensure that the quality of the RMs meets the requirements of the end users.

- ISO 17034 outlines the general requirements to be met by an RMP to demonstrate competence.
- ISO Guide 35 provides more specific guidance on technical issues and explains the concepts for processes such as the assessment of homogeneity, stability and characterization for the certification of RMs.
- ISO Guide 31[2] describes the contents of certificates for CRMs, and of accompanying documents for other RMs, respectively.
- ISO Guide 30[68] contains the terms and definitions related to reference materials.

Alongside developments in RM production approaches, the range of classes of RMs is growing with advances in technology, increasing the need for more widely applicable technical guidance in RM production. In addition, increasing use of ISO/IEC 17025[52] and ISO 15189[71] by laboratories has led to greater demand for clear statements of metrological traceability.

This document provides detailed guidance on a larger range of homogeneity study designs, and describes a wider range of stability management strategies than ISO Guide 35:2006. It also contains specific provisions concerning the establishment of metrological traceability in RM production.

Reference materials — Guidance for characterization and assessment of homogeneity and stability

1 Scope

This document explains concepts and provides approaches to the following aspects of the production of reference materials:

- the assessment of homogeneity;
- the assessment of stability and the management of the risks associated with possible stability issues related to the properties of interest;
- the characterization and value assignment of properties of a reference material;
- the evaluation of uncertainty for certified values;
- the establishment of the metrological traceability of certified property values.

The guidance given supports the implementation of ISO 17034. Other approaches may also be used as long as the requirements of ISO 17034 are fulfilled.

Brief guidance on the need for commutability assessment (6.11) is given in this document, but no technical details are provided. A brief introduction for the characterization of qualitative properties (9.6 to 9.10) is provided together with brief guidance on sampling such materials for homogeneity tests (Clause 7). However, statistical methods for the assessment of the homogeneity and stability of reference materials for qualitative properties are not covered. This document is also not applicable to multivariate quantities, such as spectral data.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3534-2, *Statistics — Vocabulary and symbols — Part 2: Applied statistics*

ISO 3534-3, *Statistics — Vocabulary and symbols — Part 3: Design of experiments*

ISO Guide 30, *Reference materials — Selected terms and definitions*

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

NOTE The *International vocabulary of metrology* will hereafter be referred to as the “VIM”.

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO Guide 30, ISO/IEC Guide 99, ISO 3534-2, ISO 3534-3 and the following apply. The definitions in ISO Guide 30 take precedence where more than one definition for the same term exists.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>